
AD-A133 884	MANUFACT ACCOMPLI	TURING METH ISHMENTS (U) ( ROCK ISLA	ODS AND T	ECHNOLO USTRIAL	GY PRO BASE	GRAM Engine	ERING	1	12	
UNCLASSIFIED	ACTIVIT	NUCK ISLA	MD 11 OC	1 63		F/	G 13/8	NL		
					,					
	٩.									
						E.			N	
										<u> </u>
										2-8
						-				
5 a	63									
							<u> </u>			
					2					
					E/s					



MICROCOPY RESOLUTION TEST CHART NATIONAL BUREAU OF STANDARDS -1963 - A



UNCLASSIFIED
SECURITY CLASSIFICATION OF THIS PAGE (When Date Entered)

REPORT DOCUMENTA	TION PAGE	READ INSTRUCTIONS BEFORE COMPLETING FORM	
. REPORT NUMBER	2. GOVT ACCESSION NO	O. 3. RECIPIENT'S CATALOG NUMBER	
	AD-A133884	NONE	
TITLE (and Subsissio) MANUFACTURING METHODS AND TEC PROGRAM ACCOMPLISHMENTS	HNOLOGY	5. TYPE OF REPORT & PERIOD COVERED PERIODIC	
		6. PERFORMING ORG. REPORT NUMBER	
7. AUTHOR(e)		8. CONTRACT OR GRANT NUMBER(s) N/A	
PERFORMING ORGANIZATION NAME AND AL	DRESS	10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS	
US Army Industrial Base Engine	ering Activity	AREA & WORK UNIT NUMBERS	
Attn: DRXIB-MT Rock Island, IL 61299		N/A	
1. CONTROLLING OFFICE NAME AND ADDRES	<b>.</b>	12. REPORT DATE	
US Army Industrial Base Engine		October 1983	
Attn: DRXIB-MT		19. NUMBER OF PAGES	
Rock Island, IL 61299		164	
4. MONITORING AGENCY NAME & ADDRESS(II	different from Controlling Office)	15. SECURITY CLASS. (of this report)	
US Army Materiel Development a Attn: DRCMT, Directorate of Ma	nd Readiness Command nufacturing Technolog	Non-classified	
5001 Eisenhower Avenue		154. DECLASSIFICATION/DOWNGRADING	
Alexandria, VA 22333 6. DISTRIBUTION STATEMENT (of this Report)		SCHEDULE N/A	
Distribution Unlimited  7. DISTRIBUTION STATEMENT (of the abstract Distribution Unlimited	entered in Block 20, if different fro	on Report)	
6. SUPPLEMENTARY NOTES			
N/A			
9. KEY WORDS (Continue on reverse elde II nece	seary and identify by block number		
Manufacturing Methods	Techno	logy Utilization	
Manufacturing Technology		ccomplishments	
Manufacturing Methods and Tec	hnology Techno	logy Transfer	
This document contains pictor			
project accomplishments. Each obtained, and illustrates the	h nage liste e projec	t title funding results	

DO 1 JAN 79 1473 EDITION OF 1 NOV 65 IS GREELETE 1

UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE (Men Date Entered)




## DEPARTMENT OF THE ARMY US ARMY INDUSTRIAL BASE ENGINEERING ACTIVITY ROCK ISLAND. ILLINOIS 61299

DRXIB-MT

SUBJECT: MM&T Program Accomplishments

SEE DISTRIBUTION





- 1. Reference AR 700-90, Cl, Para 3-3e(5), Logistics, Army Industrial Preparedness Program, dated 15 March 1982.
- 2. This brochure describes recent accomplishments of the DARCOM Manufacturing Methods and Technology Program. The information is presented in three sections:

Section I - A concise summary of the benefits for each project.

Section II - Charts describing recently completed projects which have the potential to provide benefits.

Section III - Charts describing projects which have been implemented and are providing benefits.

3. Further information on the projects can be obtained from the MMT points of contact found on page 3.

FOR THE DIRECTOR:

JAMES W. CARSTENS Chief, Manufacturing Technology Division

#### TABLE OF CONTENTS

	PAGE
INTRODUCTION	1
HHIT POINTS OF CONTACT	3
MENT PROJECT INDEX	5
SECTION I - SUMMARY OF BENEFITS	15
SECTION II - RECENTLY COMPLETED PROJECTS	27
SECTION III - IMPLEMENTED EFFORTS	115

#### INTRODUCTION

- 1. This brochure describes the results of recently completed projects funded by the Army Manufacturing Methods and Technology Program. The MMT Program is managed by the HQ DARCOM Directorate of Manufacturing Technology and the DARCOM major subordinate commands.
- 2. Project results which are depicted in this brochure are shown on one page charts. The charts are titled either Accomplishment or Implementation. Accomplishment charts describe projects that are a part of a multi-year effort which either has not yet been completed or has recently been completed but not yet surveyed for implementation. The implementation survey is made within one year after all the projects of an effort have been completed. The charts, titled Implementation, describe work efforts that have been surveyed for implementation. A comparison of these two types of charts is found on the following page.

1

\_

ACCOMPLISHMENT CHART

#### IMPLEMENTATION CHART

DARCOM MMT ACCOMPLISHMENT
(Based on one or more Final RCS 301 Reports
and satisfactory support data)

DARCOM MMT IMPLEMENTATION
(Based on having all the Final RCS 301 Reports submitted, satisfactory support data and a completed RCS 303 Report)

PROJECT NO: X XX XXXX

or X XX, XX XXX

(One or more FY shown)

RESULTS:

(Verb tense is past for project completion and future for implementation and savings)

EFFORT NO. X XXXX (No FT shown)

BENEFITS:

(Verb tense is present or past for implementation and past, present or future for savings)

#### MOT POINTS OF CONTACT

COMMAND C	DDE REPRESENTATIVE	PHONE
1	AVRADCOM	
	US Army Aviation R&D Command	
	ATTN: DRDAV-EGX, Mr. Den Haugen	
	4300 Goodfellow Blvd.	C: 202 274-8284/8298
	St. Louis, NO 63120	AV: 284-8284/8298
2 or F	CECOM	
	US Army Communications and Electronics Command	C: 201 535-4926
	ATTN: DRSRL-POD-P-G, Messr Feddeler/Esposito/Resnic	AV: 995-4926
	ATTN: DRSEL-PC-I-IP-1, Mr. Leon Field	C: 201 532-4035
	Fort Monmouth, NJ 07703	AV: 992-4035
2 or H	ERADCOM	
	US Army Electronics R&D Command	
	ATTN: DRDEL-PO-SP, Mr. Robert Moore	
	2800 Powder Mill Road	C: 202 394-3812
	Adelphi, MD 20983	AV: 290-3812
3 or R	MICOM	
	US Army Missile Command	
	ATTN: DRSMI-RST, Mr. Bobby Park	C: 205 876-2065
	Redstone Arsensl, AL 35898	AV: 746-2065
4 or T	TACOM	
	US Army Tank-Automotive Command	C: 313 573-6065/5814
	ATTN: DRSTA-RCKM, Mr. Donald Cargo	AV: 786-6065/5814
	Warren, MI 48090	
5	AMCCOM	
-	US Army Armament, Munitions and Chemical Command	
	ATTN: DRSMC-IRI-A (R), Ms. Geri Kopp	
	Rock Island Arsenal	C: 309 794-3666/4398
	Rock Island, IL 61299	AV: 793-3666/4398

3

#### MMT POINTS OF CONTACT

COMMAND CODE	REPRESENTATIVE	PHON	E
5	AMCCOM US Army Armament, Munitions and Chemical Command Armament Research and Development Center ATTN: DRSMC-PMP-P (D), Mr. Donald Pischer Dover, NJ 07801	C: AV:	201 328-2708 880-2708
	pover, al 0/001	AV:	860-2706
6	AMCCOM US Army Armsment, Munitions and Chemical Command ATTN: DRSMC~IRW (R), Mr. Arne Madsen Rock Island Arsenal Rock Island, IL 61299	C: AV:	309 794-3166 793-3166
8	MERADCOM US Army Mobility Equipment R&D Command ATTN: DRDME-UE, Mr. R. Goehner Fort Belvoir, VA 22060	C: AV:	703 664-4221 354-4221
H	AMMRC US Army Materials & Mechanics Research Center ATTN: DRXMR-PP, Mr. John Gassner Watertown, MA 02172		617 923-5521 955-5521

4

-

\_

PROJECT NO.	PROJECT TITLE	PAGE
MERADCOM		
E 77,79 3592	IMPROVED GRAPHITE FIBER REINFORCEMENT	28
DESCOM		
G 80 0001	VOICE CONTROLLED PROGRAMMING OF COMPUTERS	29
ERADCOM		
н 5094	8K BIT BORAM	116
2 9751	FABRICATION OF YAG LASER RODS	117
2 76 9776	LOW COST SILICON PHOTODETECTOR MODULES	30
2 <del>9</del> 778	PRODUCTION OF LONG LIFE EMITTERS FOR FIBER OPTICS	118
H 77 9812	SPLIT CYCLE STIRLING COOLER	31
2 9834	SERIES TRANSDUCER DELAY LINES	119
н 9841	ZINC SELENIDE WINDOWS AND OPTICAL ELEMENTS	120
AMMRC		
M 6350-1646	DEVELOPMENT OF RELIABLE METHOD FOR THE EVALUATION	121
	OP AGENT PERMEATION	
M 6350~1802	RANDOM TRANSPORTATION VIBRATION (RTV) FUZE	122
	MECHANISM TESTING	
M 6350-2032	INFRARED TESTING FOR PRINTED CIRCUIT BOARDS (PCB)	123
M 6350-2225	3-D SHOCK/VIBRATION TEST FOR FUZES	124

5

PRO.	JECT NO.	PROJECT TITLE	PAGI
AMMRC			
M	6350-2227	SETBACK-DRAG TESTER FOR S+A DEVICES	125
M	6350-2233	TRACK BUSHING TEST MACHINE	126
M	6350-2403	IMPROVED STANDARDIZED WEAPON CHAMBER PRESSURE	127
M	6350-2426	CRYOGENIC COOLER HELIUM LEAK RATE TEST SET	128
M	6350-2430	ACCEPTANCE TESTER FOR COMMON MODULE SCANNER	129
		PERFORMANCE	
M	6350-2431	COMPUTERIZED COLOR-MATCHING SYSTEM	130
M	6350-2434	RAPID NDT FOR DETERMINING LASER DOPANT DENSITY	131
		AND DISTRIBUTION	
M	6350-2437	ACOUSTIC MEASUREMENT FOR PRECISION ELECTROMAGNETIC	132
		COMPONENTS	
M	6350-2440	GAS CHROMATOGRAPHY OF NITROCELLULOSE-BASE	133
		PROPELLANTS	
M	6350-2447	AEROSOL TEST APPARATUS FOR BIOLOGICAL DETECTION	134
		AND WARNING SYSTEM	
M	6350-2455	DETERMINATION OF QUENCH CRACKS AFTER HEAT TREATMENT	135
M	6350-2610	IMPROVED METHOD FOR DETERMINATION OF PURITY OF DYES	136
M	6350-2621	THERMOELECTRIC MATERIALS EVALUATION	137
M	6350-2825	MISSILE PROPELLANT BALLISTIC MODIFIERS IMPROVED	138
		TEST METHOD	

PROJECT NO.	PROJECT TITLE	PAG
AVRADCOM		
1 76,77 7114	IMPROVED MANUFACTURING TECHNIQUES FOR INFRARED SUPPRESSION	32
	ON AIRCRAFT COMPONENTS	
1 79,80 7291	TITANIUM POWDER METAL COMPRESSOR IMPELLER	33
1 79 7315	LOW COST MANUFACTURE OF POISE GIMBAL COMPONENTS	34
1 74 8008	BROADGOODS LAY UP SYSTEM (CAM RELATED)	35
1 75,76 8148	PROCESSING OF ADVANCED GEAR MATERIALS	36
MICOM		
R 81 1021	COMPUTERIZED PRODUCTION PROCESS PLANNING OF MACHINED	37
	CYLINDRICAL PARTS (CAM)	
R 79 1041	LARGE SCALE INTEGRATION FABRICATION METHODOLOGY IMPROVEMENT	38
3 81 1073	REAL TIME ULTRASONIC IMAGING	39
3 81 1086	COBALT REPLACEMENT IN MARAGING STEEL FOR ROCKET	40
	MOTOR COMPONENTS	
R 3116	ROSETTE AIR DEFENSE SEEKER OPTICS AND DETECTORS	139
R 77,78 3133	PRODUCTION OF LITHIUM FERRITE PHASE SHIFTER FOR PHASED	41
	ARRAY RADAR	
R 79 3136	IMPROVED MANUFACTURING PROCESSES FOR COMPLIANT	42
	BEARING GYROS	

PROJECT NO.	PROJECT TITLE	PAG
MICOM		
3 3140	IMPROVED MANUFACTURING PROCESSES FOR SILICON VIDICONS	140
R 79 3146	FINE LINE HYBRID SUBSTRATES	43
R 3167	CRACK FREE PLATED-THROUGH-HOLES (PTH) IN PRINTED	141
	CIRCUIT BOARDS	
R 3183	INERTIAL QUARTZ FLEXURE ACCELEROMETER	142
R 77,78 3188	INFRARED IMAGING SEEKERS FOR THERMAL HOMING MISSILES	44
R 77,79,80 3217	AUTOMATIC PRODUCTION OF TRAVELING WAVE TUBES	45
R 79,80 3219	AUTOMATIC POLYMER DIE ATTACHMENT METHODS	46
3 3227	HYBRID CHIP HANDLING VIA TAPE CARRIER LEAD FRAME	143
R 3272	FLEXIBLE PRINTED CIRCUITS WITH INTEGRAL MOLDED	144
	CONNECTORS (FLEXICON)	
3 7T,79 3287	PRODUCTION METHODS FOR LOW COST STRIP LAMINATE	47
	MOTOR CASES	
3 80 3294	PRODUCTION PROCESS FOR ROTARY ROLL FORMING	48
R 3372	MANUFACTURING METHODS FOR MAGNETIC MATERIALS	145
R 78,80 3396	LOW COST - ONE PIECE NOZZLES	49

PROJECT NO.	PROJECT TITLE	PAG
MICOM		
R 79 3410	HEAT PIPES FOR HYBRID MICROCIRCUITS	50
R 80 3411	MANUFACTURE OF NON-PLANAR PRINTED CIRCUIT BOARDS	51
R 78,80 3436	LARGE SCALE HYBRID MICROCIRCUITS	52
R 79 3438	DELIDDING AND RESEALING HYBRID MICROCIRCUIT PACKAGES	53
R 79,80 3445	PRECISION MACHINING OF OPTICAL COMPONENTS	54
R 78 3453	IMPROVED PRODUCTION TECHNIQUES FOR GROUND LASER LOCATOR	55
3 78 3454	LO COST - HI VOLUME RADIOGRAPHIC INSPECTION	56
TACOM		
4 74,75,7T 4568	TECHNICAL DATA/CONFIGURATION MANAGEMENT SYSTEM (TD/CMS)	57
т 77 5014	IMPROVED FOUNDRY CASTINGS PROCESSES	58
T 78,81 5014	IMPROVED FOUNDRY CASTINGS PROCESSES	59
T 79 5045	SPALL SUPPRESSIVE ARMOR FOR COMBAT VEHICLES	60
Т 79 5090	IMPROVED AND COST EFFECTIVE MACHINING TECHNIQUES	61
AMCCOM AMMUNITION		
5 1316	ADVANCED TECHNOLOGY FOR PROCESSING SMOKE GRENADES	146
5 1320	PILOT STATIONS FOR FILLING AND CLOSING WHITE	147
	PHOSPHORUS (WP) MUNITIONS	
5 77 1327	IMPROVED GAS MASK LEAKAGE TESTING	62

9

PROJECT NO.	PROJECT TITLE	PAGI
AMCCOM AMMUNITION		
5 78 1345	MT FOR BIO-DETECTION AND WARNING SYSTEM (BDWS)	63
5 79 1403	SUBSTITUTION OF NONTOXIC DYES IN SMOKE GRENADES	64
5 79,80 1903	DIE CAST TAIL CONE AND ONE PIECE SKIN FOR BLU-96/B	65
5 3104	COPPER AMPULES FOR FUZE POWER SUPPLIES	148
5 77,78 4000	AUTOMATED M55 DETONATOR PRODUCTION EQUIPMENT	66
5 80 4033	CAUSTIC RECOVERY FROM SODIUM NITRATE SLUDGE	67
5 4041	AUTO EQUIPMENT FOR MORTAR COMPONENTS	149
5 79 4059	OPTIMIZATION OF NITROGUANADINE IN M30 PROPELLANT	68
5 79 4064	AUTOMATED ASSEMBLY OF TANK CARTRIDGES	69
5 79,80 4084	OPACITY/MASS EMISSION CORRELATION STUDY	. 70
5 81 4145	CONTROL DRYING FOR AUTOMATED SINGLE BASE PROPELLANT	71
	MANUPACTURE	
5 4147	COMPUTER CONTROL APPLICATION TO CONTINUOUS THT MANUFACTURE	150
5 4163	CONTROLLED PRODUCTION LOADING SYSTEM FOR 105 MM HEAT-T M456A1	151
5 74 4169	ESTABLISHMENT OF IMPROVED PROCESS FOR THE MANUFACTURE	72
	OF NITROGUANIDINE	
5 70 A189	HIGH PRACMENTATION STEEL PRODUCTION PROCESS	73

PROJECT NO.	PROJECT TITLE	PAGE
AMCCOM AMMUNITION		
5 4215	AUTOMATING THE CONTINUOUS THT PRODUCTION FACILITY	152
	PROCESS CONTROLS	
5 76,77,78 4228	AUTOMATED BAG LOADING, CHARGE ASSEMBLY AND PACKOUT	74
	FOR THE 155MM AND 81M PROPELLING CHARGES	
5 75,7T 4252	IMPROVE PRESENT PROCESSES FOR THE MANUFACTURE OF	76
	RDX AND HMX	
5 77,78 4267	CONTINUOUS PROCESS FOR GRANULAR COMPOSITION B	77
5 4281-B02	REDUCED FORGING TEMPERATURE	153
5 79 4281-A02	OPTIMIZED INSULATION	78
5 77,78 4281-A08	CAVITATIONAL REMOVAL OF EXPLOSIVES	79
5 78,79 4285	THE EQUIVALENCY TESTING FOR SAFETY ENGINEERING	80
5 80 4285	THE EQUIVALENCY TESTING FOR SAFETY ENGINEERING	81
5 79 4288	EXPLOSIVE SAFE SEPARATION AND SENSITIVITY CRITERIA	82
5 76,7T 4289	HAZARD CLASSIFICATION STUDIES OF PROPELLANTS AND	83
	EXPLOSIVES	
5 79 4291	BLAST EFFECTS IN THE MUNITIONS PLANT ENVIRONMENT	84
5 79,80 4322	SYSTEM CHARACTERIZATION OF ELECTRONICALLY CONTBOLLED	85
	FACILITIES	

PROJECT NO.	PROJECT TITLE	PAG
MCCOM AMMUNITION		
5 79 4335	ALTERNATIVE PROCESSES FOR TITANIUM GYROSCOPES	86
5 77,78 4343	IMPROVED NITROCELLULOSE PROCESS CONTROLS	87
5 77 4362	CONTINUOUS AUTOMATED POST CYCLIC CONDITIONING	88
	FACILITY FOR LARGE CALIBER COMP B LOADED PROJECTILES	
5 78 4449	PROCESS IMPROVEMENT FOR COMPOSITION C-4	89
5 77,78,79 4462	MODERNIZED FORCED AIR DRYER (FAD) FOR MULTI-BASE	90
	PROPELLANTS	
5 80 4462	MODERNIZED FORCED AIR DRYER (FAD) FOR MULTI-BASE	91
	PROPELLANTS	
5 78,79 4466	EVALUATION OF THT, CYCLOTOL, OCTOL WITH ARRADCOM	92
	MELT-POUR FACILITY	
5 78 4472	DEVELOPMENT OF EQUIPMENT FOR AUTOMATIC/MECHANIZED	93
	FABRICATION OF CENTER CORE PROPELLANT BAGS	
5 78 4498	AUTOMATED ASSEMBLY OF SMALL MINES	94
5 77 6200	SMALL CALIBER APPUNITION PROCESS IMPROVEMENT PROGRAM	154
5 76 6599	ELECTRO-OPTICAL INSPECTION OF ARTILLERY PROJECTILE	95
	CAVITIES	
5 6682	SIMULATION OF AMMUNITION PRODUCTION LINES	155
5 76,78,79,80 6736	TECHNICAL READINESS ACCELERATION THRU COMPUTER	96
	INTEGRATED MANUFACTURING	

PROJECT NO.	PROJECT TITLE	PAGI
AMCCOM ANDMUNITION		
5 79 6736-02	DATA ACQUISITION FEASIBILITY STUDY	97
5 80 67 <b>36-03</b>	INITIAL GRAPHICS EXCHANGE SPECIFICATION	98
AMCCOM WEAPONS		
6 77,78 7649	COMPUTERIZED POWDER METALLURGY FORGING DESIGN	99
6 79 7724	GROUP TECHNOLOGY OF WEAPON SYSTEMS	100
6 77,78,79 7726	APPLICATION OF COLD AND WARM ROTARY FORGING	101
6 7727	RECYCLING OF SCRAP GUN TUBES BY ROTARY FORGING	156
6 78 7808	LEAR DETECTION TECHNIQUES FOR SMALL SEALED FIRE	102
	CONTROL ASSEMBLIES	
6 80 7926	HOT ISOSTATIC PRESSING (HIP) OF LARGE ORDNANCE COMPONENTS	103
6 77,78 7943	ANALYSIS FOR MODERNIZATION OF INDUSTRIAL OPERATIONS	104
6 79 7949	APPLICATION OF GROUP TECHNOLOGY AT ROCK ISLAND ARSENAL	105
6 81 8001	RAPID FLOW PLATING OF SMALL CALIBER GUN TUBES	106
6 79,80 8004	CO-DEPOSITION OF SOLID LUBRICANTS DURING ANODIZING	107
6 79 8005	ESTABLISHMENT OF THE MECHANICAL PLATING PROCESS	108
6 78,79 8017	POLLUTION ABATEMENT PROGRAM	109
6 8043	IMPROVED MACHINING FOR DOVETAILS	157

PROJECT NO.	PROJECT TITLE	PAGE
AMCCOM WEAPONS		
6 78 8048	IMPROVED INSPECTION TECHNIQUES FOR INCOTS AND	110
	PREFORMS FOR ROTARY FORGING	
6 78 8049	MANUFACTURING PROCESSES ENERGY CONSERVATION PROGRAM	111
6 79 8104	improved breech block manupacturing	112
6 81 8120	ADAPTIVE CONTROL TECHNOLOGY (CAM)	113
6 80 <b>8209</b>	PILOT PRODUCTION OF GRADIENT INDEX OPTICS	114

SECTION 1

SUPPLARY OF BENEFITS

***********			***********************
PROJECT NUMBER	ANTICIPATED BENEFITS \$ SAVINGS OTHER	ACTUAL BENEFITS \$ SAVINGS OTHER	REMARKS
HERADCON			
E 77,79 3592	Increased performance		
DESCOM			
G 80 0001	\$45,000/YR		IMPLEMENTATION AT TOBYHANNA ARMY DEPOT
ERADCOM/CECOM			
2 76 9776	REQUIREMENTS CHANGED		COMMERCIAL APPLICATIONS BY RCA
H 77 9812	\$400/UNIT		IMPLEMENTATION ON RPV, XM 21, XM32 & LASER RANGEFINDERS
1 76,77 7114	REDUCED COST		AIRCRAFT IR SUPPRESSOR APPLICATIONS
1 79.80 7291	\$1.6 MILLION		APACHE AUX POWER UNIT
1 79 7315	IMPROVED PERFORMANCE		POISE GIMBAL COMPONENTS
1 74 8008	REDUCED DIRECT LABOR COST		
1 75,76 8148	IMPROVED MATERIAL TESTING		GEARS
R 81 1021	UPGRADING PROCESS PLANNING		PROCESS PLANNING

PROJECT NUMBER	ANTICIPATED BENEFITS \$ SAVINGS OTHER	ACTUAL \$ SAVINGS	Benefits Other	Remarks
R 79 1041	\$4.5MILLION/3YR			COPPERHEAD, HELLFIRE, LASER SEEKER AND NAVY GUIDED PROJ
3 81 1073	REDUCED INSPEC TIME	rion		ROCKET LAUNCH TUBES
3 81 1086	CRITICAL MATER REPLAJEMENT	IAL		TOW MOTOR CASES
R 77,78 3133	\$40,000/RADAR SET			ANTI-TACTICAL MISSILE
R 79 3136	\$1000/GYRO			COPPERHEAD
R 79 3146	INCREASED RELL & PERFORMANCE	ABILITY		HYBRID CIRCUIT SUBSTRATES
R 77,78 3188	ABILITY TO PRO	DUCE		INFRARED IMAGING SEEKERS
R 77,79,80 3217	\$14000/TUBE			PATRIOT RADAR
R 79,80 3219	INCREASED YIEL	D		HYBRID CIRCUITS
3 7T,79 3287	19-30% COST RE	DUCTION		CHAPARRAL

**********	***********	*********		*************
PROJECT NUMBER	ANTICIPATED BE \$ SAVINGS	OTHER	ACTUAL BENEFITS \$ SAVINGS OTHER	REMARKS
3 80 3294		IMPROVED PROCESSING		ROCKET MOTOR CASES
R 78,80 3396		REDUCE COST AND IMPROVE RELIABILITY		ROCKET MOTOR NOZZLES
R 79 3410		ESTABLISH CAPABILITY		HEAT PIPES FOR MICROCIRCUITS
R 80 3411	\$3MILLION			NON-PLANAR CIRCUITS
R 78,80 3436		20% COST REDUCTION		PASSIVE OPTICAL SEEKERS
R 79 3438	\$2.5MILLION/YR			WELDED HYBRID CIRCUITS
R 79,80 3445	\$1.2MILLION/YR			OPTICAL COMPONENTS
R 78 3453	\$150/Q SWITCH			DIVADS AND GVLLD
3 78 3454		IMPROVED TESTING		ROLAND
TACOM				
4 74,75,7T 4568		AUTOMATED PROCESS		DARCOM STANDARD SYSTEM
т 77 5014	\$1.OMILLION/YR	IMPROVED QUALITY		CASTINGS
T 78,81 5014	\$1.0MILLION/YR	IMPROVED QUALITY		CASTINGS
T 79 5045		IMPROVED PERFORMANCE		SPALL SUPPRESSIVE ARMOR
T 79 5090		LEAD TIME & COST REDUCTION		MACHINING

PROJECT NUMBER	ANTICIPATED BENEFITS \$ SAVINGS OTHER	ACTUAL BENEFITS \$ SAVINGS OTHER	REMARKS
5 77 1327	ESTABLISHED PROCESS		GAS MASK TESTER
5 78 1345	METHODS & PROPERTIE DEFINITION	S	BIODETECTION TEST & WARNING SYSTEM
5 79 1403	\$269,000/YR INCREASED SAFETY		SMOKE GRENADES
5 79,80 1903	\$47MILLION		BLU-96B
5 77,78 4000	AUTOMATED SYSTEM		M55 DETONATOR
5 80 4033	REDUCED POLLUTION		SODIUM NITRATE SLUDGE
5 79 4059	ON-LINE TESTING		NITROGUANIDINE
5 79 4064	\$4.5MILLION/YR		TANK CARTRIDGES
5 79,80 4084	LESS COSTLY ALTERNATIVE		MASS EMISSIONS TESTING
5 81 4145	\$250,000/YR		SINGLE BASE PROPELLANT
5 74 4169	PROVIDE CAPABILITY TO PRODUCE		NITROGUANIDINE
5 79 4189	IMPROVED PERFORMANC	B	HIGH TEMPERATURE OVENS
5 76,77,78 4228	AUTOMATED MANUFACTU	RE	PROPELLING CHARGES

	ACCOMP.	LISHMENTS SUMMARY	
PROJECT NUMBER	ANTICIPATED BENEFITS \$ SAVINGS OTHER	ACTUAL BENEFITS \$ SAVINGS OTHER	REMARKS
5 75,7T 4252	IMPROVED PROCESS FOR RDX & HMX		HOLSTON AAP
5 77,78 4267	IMPROVED PROCESS		GRANULAR COMP B
5 79 4281-A02	\$57,000/YR REDUCED ENERGY CONSUMPTION		NITROCELLULOSE BOILING TUBS
5 77,78 4281- A08	27% COST REDUCTION		IOWA AAP
5 78,79 4285	increased safety		BLAST RESISTANT BUILDINGS
5 80 4285	Increased safety		BLAST RESISTANT BUILDINGS
5 79 4288	Increased safety		SAFE SEPARATION DISTANCES
5 76,7T 4289	INCREASED SAFETY		HAZARD CLASSIFICATION FOR EXPLOSIVES & PROPELLANTS
5 79 4291	Increased safety		BLAST RESISTANT PANELS
5 79,80 4322	MINIMIZE MOBILIZATION TIMES		ELECTRONICALLY CONTROLLED FACILITIES
5 79 4335	95% SCRAP REDUCTION		TITANIUM GYROSCOPES
5 77,78 4343	PROCESS UPDATES		NITROCELLULOSE PRODUCTION
5 77 4362	REDUCED COST		COMPOSITION B LOADING
5 78 4449	\$55,000/YR		HOLSTON AAP

PROJECT NUMBER	ANTICIPATED BENEFITS \$ SAVINGS OTHER	ACTUAL BENEFITS	REMARKS
5 77,78,79 4462	INCREASED PRODUCTION		MULTI-BASE PROPELLANTS
5 80 4462	INCREASED EFFICIENCY		MULTI-BASE PROPELLANTS
5 78,79 4466	AUTOMATED MIXER		ALTERNATE FILL EXPLOSIVES
5 78 4472	INCREASED EFFICIENCY		CENTER CORE PROPELLANT BAGS
5 78 4498	IMPROVED SAFETY		SMALL MINES
5 76 6599	INCREASED INSPECTION RELIABILITY		ARTILLERY PROJECTILES
5 76,78, 79,80 6736	ENHANCED READINESS		ARRCOM ELEMENTS
5 79 6736-02	20% COST REDUCTION		DATA ACQUISITION
5 80 6736-03	IMPROVED INFORMATION EXCHANGE		MULTI-SERVICE
6 77,78 7649	COMPUTER AIDED DESIGN		POWDERED METAL FORGINGS
6 79 7724	COMPUTER AIDED MANU- FACTURE		GROUP TECHNOLOGY
6 77,78,79 7726	34% MACHINING COST REDUCTION		106MM RECOILESS RIFLE & 105MM - M68
6 78 7808	FASTER & MORE SENSITIVE LEAK DETECTION		SEALED FIRE CONTROL BLEMENTS

PROJECT NUMBER	ANTICIPATED BENEFITS \$ SAVINGS OTHER	ACTUAL BENEFITS \$ SAVINGS OTHER	REMARKS
	\$432/BREECH BLOCK		LARGE ORDNANCE COMPONENTS
6 77,78 7943	\$18MILLION/YR		ROCK ISLAND ARSENAL
6 79 7949	REDUCE COST AND LEAD TIME		GROUP TECHNOLOGY AT ROCK ISLAND ARSENAL
6 81 8001	IMPROVED PLATING		CAL 50 BARRELS
6 79,80 8004	EXTENDED SERVICE LIFE		WEAPON COMPONENTS
6 79 8005	LOW COST PLATING		SMALL PLATED PARTS
6 78,79 8017	POLLUTION ABATE- MENT		CYANIDE BASED BATHS
6 78 8048	REDUCED INSPECTION TIME		ROTARY FORGE PREFORMS
6 78 8049	REDUCED ENERGY CONSUMPTION		FURNACES & HEAT TREAT LINES
6 79 8104	REDUCE MACHINING TIME		BREECH BLOCKS
6 81 8120	REDUCED TIME & ENERGY CONSUMP- TION		ARTILLERY BARRELS
6 80 8209	PROVIDE CAPA- BILITY TO MANU- FACTURE		GRADIENT INDEX OPTICS

	I'T LEBENTALION SUMMAN				
PROJECT NUMBER	ANTICIPATED BENEFITS \$ SAVINGS OTHER		OTHER	REMARKS	
ERADCOM/CECOM					
Н 5094	\$13MILLION/5YR AT MOB RATE			BLOCK ORIENTED RANDOM ACCESS MEMORY (BORAM)	
2 9751	\$2.7MILLION/YR			LASER RANGE FINDER	
2 9778		\$325,000/2YR		AN/TYC 39 MESSAGE SWITCH	
2 9834			ESTABLISH SECOND SOURCE	TRANSDUCER DELAY LINES	
H 9841		\$2MILLION	500/MO PRODUC- TION RATE	ZINC SELENIDE WINDOWS	
AMMRC			<del>- , - , - , - , - , - , - , - , - , - ,</del>		
M6350-1646	\$270,000/5YR			AGENT PERMEATION EVALUATION	
M6350-1802	\$250,000/5YR		IMPROVED TESTING	PUZES	
M6350-2032	\$10,000/DAY	\$120,000 COST AVOI	DANCE	AIR FORCE DEPOTS	
M6350-2225	\$1.8MILLION/5YR	1	IMPROVED TESTING	PATRIOT, MLRS & M724/732 FUZES	
M6350-2227		\$2MILLION/5YR	IMPROVED RELIA- BILITY AND SAFETY	VIPER	
M6350-2233	\$175,000/5YR		REDUCED TEST TIME	TRACK BUSHING	
M6350-2403	\$2.5MILLION/5YR		STANDARD IZED METHOD	LARGE CALIBER WEAPONS	

	:u 7171 22522222222222222222222222222222222	EMENTATION SUMMAK	2222222222222	
PROJECT NUMBER	ANTICIPATED BENEFITS \$ SAVINGS OTHER	ACTUAL BEI \$ SAVINGS	NEFITS OTHER	REMARKS
M6350-2426	\$3.15MILLION/5YR		IMPROVED LEAK TESTING	CRYOGENIC COOLERS
M6350-2430	\$750,000/5YR			COMMON MODULES
M6350-2431	\$2.5MILLION/5YR		IMPROVED INSPECTION	MILITARY FABRICS
M6350-2434		\$390,000/5YR	LASER ROD IN- SPECTION METHOD	AN/GVS-5 LASER RANGE FINDER
M6350-2437	\$605,000/5YR		AUTOMATED TEST- ING	PATRIOT RADAR
M6350-2440	\$1.5MILLION/5YR			CHAPARRAL & HELLFIRE
M6350-2447	\$720,000/5YR		REDUCED TEST TIME	BIO-ALARMS
M6350-2455	\$843,000/5YR		CRACK DETECTION	105 & 155MM GUN TUBES
M6350-2610	\$115,000/5YR		REFERENCE STANDARDS	SIGNAL SMOKE DYES
M6350-2621	\$1.725MILLION/5YR			THERMOELECTRIC MATERIALS
M6350-2825	\$3.315MILLION/5YR		ACID RATIO TESTING	2.75 IN & DRAGON ROCKETS
MICOM			·····	
R 3116	\$9.5MILLION			STINGER-POST

				**********************
PROJECT NUMBER	ANTICIPATED BENEFITS \$ SAVINGS OTHER	ACTUAL \$ SAVINGS	BENEFITS OTHER	REMARKS
R 3140		\$4400/TUBE	INCREASED PERFORMANCE	TANK TESTING INSTRUMENTATION
R 3167		\$36,000/YEAR	INCREASED RELIABILITY	CIRCUIT BOARDS
R 3183	\$40MILLION/5YR		INCREASED CAPACITY	FLEXURE ACCELEROMETERS
3 3227			INCREASED YIELD	HYBRID MICROCIRCUITS
R 3272	\$5.9MILLION/10YR		REDUCED WEIGHT	AN/ALQ 131 & AWACS RADARS
R 3372	\$2MILLION/YR		IMPROVED RELIABILITY	MAGNETIC COMPONENTS
AMMUNITION				
5 1316	\$4.2MILLION/10YR		REDUCE HEALTH HAZARDS	PINE BLUFF ARSENAL
5 1320			ESTABLISH CAPABILITY	PINE BLUFF ARSENAL

IMPLEMENTATION SUMMARY							
PROJECT NUMBER	ANTICIPATED BENEFITS \$ SAVINGS OTHER	ACTUAL I \$ SAVINGS	BENEFITS OTHER	REMARKS			
5 3104			ESTABLISH CAPABILITY	FUZE POWER SUPPLIES			
5 4041	\$5.2MILLION/10YR		108 INCREMENTS PER MINUTE RATE	HILAN AAP			
5 4147	\$2.5MILLION/YR AT MOB RATES		AUTOMATED CONTROL	RADFORD AAP			
5 4163		\$5MILLION/YR	INCREASED YIELD	MILAN AAP			
5 4215			IMPROVED PROCESS CONTROL AND SAFETY	THT PRODUCTION			
5 4281-802	\$100,000/YR		ENERGY CONSERVATION	SCRANTON AAP			
5 77 6200			INCREASED QUALITY	ANACONDA, OLIN & REVERE			
5 6682		\$400,000		LOUISIANA & MISSISSIPPI AAP'S			
WEAPONS							
6 7727	\$716,000/YR(FYDP) \$10MILLION/YR(MOB)		MATERIAL & ENERGY CONSERVATION	ARTILLERY BARRELS			
6 8043			REDUCE MACHINING TIME & ERRORS	DOVETAIL MACHINING			

SECTION II

RECENTLY COMPLETED PROJECTS

# DARCOM MMT ACCOMPLISHMENT MOBILITY EQUIPMENT RESEARCH AND DEVELOPMENT COMMAND

PROJECT NO: E 77.79 3592

TITLE: IMPROVED GRAPHITE FIBER

REINFORCEMENT

COST: \$513,000

**GOAL: PRODUCE STRONGER, STIFFER FIBERS** 

**THAN CURRENTLY AVAILABLE** 


#### **RESULTS**

● AN ARC-PLASMA FIBER TREATMENT FACILITY WAS DEVELOPED THAT HEATS FIBER BUNDLES TO-3100° C AT PROCESS SPEEDS UP TO 100 FEET PER MINUTE.

● BORON TREATMENT WAS USED WHICH INCREASED THE TENSILE STRENGTH TO 450,000 PSI. THIS IS 12 PERCENT GREATER THAN THE UNTREATED COMMERCIAL FIBER.

 IMPLEMENTATION, AFTER COMPLETION OF THE FINAL FY OF WORK, WILL MAKE A SIGNIFICANTLY IMPROVED GRAPHITE FIBER COMMERCIALLY AVAILABLE.

Movable Stinger used for Feeding Material into the Arc-Plasma



FIBER TREATMENT FACILITY

## **DARCOM MMT ACCOMPLISHMENT**

#### **DEPOT SYSTEM COMMAND**

**PROJECT NO: G 80 0001** 

TITLE: VOICE CONTROLLED PROGRAMMING OF

**COMPUTERS** 

COST: \$92,000

**GOAL: ESTABLISH A CAPABILITY FOR VOICE** 

**CONTROLLED PROGRAMMING** 


#### RESULTS

 VOICE INPUT HARDWARE WAS PROCURED AND INTERFACED WITH A CAD/CAM GRAPHIC SYSTEM.

● VOCABULARY AND OPERATOR'S VOICE PATTERN CAN BE STORED IN THE GRAPHIC SYSTEM AND RECALLED ON COMMAND.

● VOICE COMMANDS CAN BE USED TO GENERATE APT SOURCE GEOMETRY, TOOL MOTION, CUTTER LOCATION, AND FOOL INFORMATION.

 NC MACHINE TOOL TAPE PREPARATION COSTS WILL BE INITIALLY REDUCED BY \$45,000/YEAR AT TOBYHANNA ARMY DEPOT.



VOICE ASSISTED SYSTEM FOR GRAPHICS AND NUMERICAL CONTROL INFORMATION FLOW

### **DARCOM MMT ACCOMPLISHMENT**

#### **COMMUNICATIONS & ELECTRONICS COMMAND**

PROJECT NO: 2 76 9776

TITLE: LOW COST HYBRID SILICON

**PHOTODETECTOR MODULES** 

COST: \$446,000

GOAL: ESTABLISH MANUFACTURING TECH-NIQUES FOR HYBRID PHOTODETECTOR


MODULES

#### **RESULTS**

THE PHOTODETECTOR MODULE MANUFACTURING TECHNIQUES WERE DEVELOPED AND ARE AVAILABLE.


THERE HAS BEEN AN ESTIMATED COST REDUCTION BY A FACTOR OF TEN.


• DUE TO SYSTEM REQUIREMENTS CHANGES, THE MODULES ARE NOT CURRENTLY PRO-DUCED FOR THE ARMY. HOWEVER, THE PROCESSES DEVELOPED ARE USED TO PRO-DUCE A VARIETY OF COMMERCIAL RCA FIBER OPTIC COMMUNICATION RECEIVERS.



**PHOTODETECTOR MODULE** 

### DARCOM MMT ACCOMPLISHMENT ELECTRONICS RESEARCH & DEVELOPMENT COMMAND





PROJECT NO: H 77 9812

TITLE: SPLIT CYCLE STERLING COOLER

COST: \$505,000

GOAL: DEVELOP MANUFACTURING TECHNIQUES FOR COOLERS USED WITH INFRARED VIEWING SYSTEMS

- MANUFACTURING TECHNOLOGY RESULTED IN A COOLER WHICH EXCEEDED ALL THE DESIGN SPECIFICATIONS EXCEPT FOR A SHORT 750 HOURS MEAN-TIME-BEFORE-FAILURE. THE DESIGN HAS BEEN FOUND TO BE SUSCEPTIBLE TO THIS PROBLEM.
- THE END OF PROJECT UNIT PRICE OF \$4000 IS \$400 LESS THAN ANTICIPATED AT THE OUTSET.
- THE RPV, XM21, XM32, AND LASER RANGE FINDER PROGRAMS HAVE USED THESE COOLERS.



SPIN FORMING SUPPRESSOR

PROJECT NO: 1 76, 77 7114

TITLE: IMPROVED MANUFACTURING TECH-NIQUES FOR INFRARED (IR) SUPPRES-SION AIRCRAFT COMPONENTS

COST: \$343,000

GOAL: REDUCE MANUFACTURING COSTS AND IMPROVE ENGINE OPERATING EFFICIENCY

- AN IMPROVED MANUFACTURING METHOD WAS ESTABLISHED FOR PREPARATION OF LOUVERS USED IN THE FILM-COOLED IR SUPPRESSOR
- DROP HAMMER FORMING AND BAND SAW CUTTING WERE REPLACED WITH SPIN FORMING AND LASER CUTTING

### DARCOM MMT ACCOMPLISHMENT AVIATION RESEARCH & DEVELOPMENT COMMAND

PROJECT NO: 1 79.80 7291


TITLE: TITANIUM POWDER METAL COMPRESSOR IMPELLER

COST: \$306,000

GOAL: REDUCE MACHINING COSTS OF FORGED IMPELLERS

#### **RESULTS**

- TITANIUM PRE-ALLOYED POWDERS PRODUCED BY THE PLASMA ROTATING ELECTRODE PROCESS WERE CONSOLIDATED BY HOT FORGING.
- A FLUID DIE WAS USED IN THE PROCESS WHICH RESULTED IN A DENSITY OVER 99% OF THE THEORETICAL.
- UPON SUCCESSFUL COMPLETION AND IM-PLEMENTATION OF THE EFFORT. IT IS ESTIMATED THAT OVER \$1.6 MILLION WILL BE SAVED ON THE APACHE AUXILIARY POWER UNIT ALONE.



T BAR ON TUNNESS MOREATS

1 BAR ON TUNNESS MOREATS

2 INVESTMENT CART SECRETATS RELOCO INTO A RIMA

3 PLATE

5 BAR ON TUNNESS

5 BAR ON TUNNESS

7 TURNES

5 BAR ON TURNESS

7 TURNES

8 BAR ON TURNESS

9 BAR

FLUID DIE - SCHEMATIC

PROJECT NO: 1 79 7315

TITLE: LOW COST MANUFACTURE OF POISE

**GIMBAL COMPONENTS** 

COST: \$302,000

GOAL: ESTABLISH A COST EFFECTIVE MANUFACTURING PROCESS FOR

**COMPOSITE GIMBALS** 


#### RESULTS

 A MANUFACTURING PROCESS WAS ESTAB-LISHED FOR PRODUCING GRAPHITE/EPOXY COMPOSITE GIMBALS

● THE COMPOSITE GIMBALS DEMONSTRATED 1/3 THE WEIGHT, 2X WEIGHT/STIFFNESS, AND 4X DAMPING IMPROVEMENTS COMPARED TO CURRENT ALUMINUM CONSTRUCTION

● THE MANUFACTURING PROCESS FOR COM-POSITE GIMBALS WILL RESULT IN LOWER COSTS BECAUSE OF ITS IMPROVED ADAPT-ABILITY TO THE DESIGN MODIFICATIONS REGULARLY EXPERIENCED WITH THIS TYPE OF COMPONENT

34





RETROFITTED MILLING MACHINE FOR PROTOTYPE COMPOSITE FABRICATION

PROJECT NO: 1 74 8008

TITLE: BROADGOODS LAYUP SYSTEM

(CAM RELATED)

COST: \$700,000

**GOAL: REDUCE MANUFACTURING TIME AND** 

**DIRECT LABOR COST** 

#### **RESULTS**

● A 3 AXIS MILLING MACHINE WAS RETROFITTED WITH A COMPUTER NUMERICAL CONTROL MACHINE CONTROL UNIT, TAPE HEAD, AND MOTOR DRIVE SYSTEM.

- A SAMPLE PART WAS FABRICATED WITH 3-INCH WIDE GRAPHITE/EPOXY PREPREG TAPE AT ARMY MATERIEL AND MECHANICS RESEARCH CENTER.
- PROTOTYPE FABRICATION CAPABILITY HAS BEEN ESTABLISHED.

PROJECT NO: 1 75.76 8148

TITLE: PROCESSING OF ADVANCED GEAR

**MATERIALS** 

COST: \$345,000

GOAL: DEVELOP NON-PROPRIETARY CARBURIZ-ING PROCESS FOR HIGH PERFORMANCE


GEARS

#### **RESULTS**

● A VACUUM CARBURIZING HEAT TREATMENT WAS DEVELOPED FOR VASCO X2 MATERIAL IN A SPUR GEAR CONFIGURATION

● A TECHNIQUE FOR USING ROLLING CONTACT FATIGUE DATA TO PREDICT PITTING FATIGUE LIFE OF GEARS WAS DEVELOPED

 A FIBER OPTIC SYSTEM WAS DEVELOPED AND PROVEN SUCCESSFUL. THIS PERMITTED VIEW-ING THE GEAR TOOTH FACE WHILE STILL ASSEMBLED IN THE FOUR SQUARE DYNAMOMETER



**VACUUM FURNACE** 

PROJECT NO: R 81 1021

TITLE: COMPUTERIZED PRODUCTION PROCESS

PLANNING FOR MACHINED CYLIN-

**DRICAL PARTS (CAM)** 

COST: \$234,000

GOAL: UPGRADE A PILOT COMPUTER MAN-AGED PROCESS PLANNING (CMPP)

SYSTEM


#### RESULTS

 THIS PROJECT COMPLETED DEVELOPMENT AND DOCUMENTATION OF A CMPP SYSTEM FOR MACHINED CYLINDRICAL PARTS.

 THE CMPP SYSTEM IS BEING USED BY THREE GOVERNMENT CONTRACTORS. IT HAS BEEN USED ON TWO MILITARY AIRCRAFT ENGINES AND HELICOPTER COMPONENTS.

• A NUMBER OF PRESENTATIONS AND AN END OF CONTRACT PRESENTATION WERE HELD; OVER 100 REQUESTS FOR THE FINAL REPORT AND 30 REQUESTS FOR THE SOFTWARE HAVE BEEN MADE.

37



### **DARCOM MMT ACCOMPLISHMENT**

#### **MISSILE COMMAND**

PROJECT NO: R 79 1041

TITLE: LARGE SCALE INTEGRATION FABRICA-

TION METHODOLOGY IMPROVEMENT

COST: \$1,000,000


**GOAL: REDUCE COST OF SELECTED CIRCUITS** 

#### **RESULTS**

 MARTIN MARIETTA AND HARRIS SEMICONDUCTOR INCREASED THE YIELD OF PREAMPLIFIER AND LIMIT-SUM CIRCUITS FROM 1-2 PERCENT TO 14-15 PERCENT.

THIS WAS DONE THROUGH PROCESS MODIFICATION, PRODUCIBILITY IMPROVEMENT, TOPOLOGY MODIFICATION, TEST AUTOMATION AND THOROUGH DOCUMENTATION.

 CIRCUITS ARE USED IN COPPERHEAD, HELLFIRE LASER SEEKER, AND NAVY GUIDED PROJEC-TILE. UPON IMPLEMENTATION, SAVINGS CAN APPROXIMATE \$4.5 MILLION OVER THREE YEARS AT PROJECTED RATES.



MARTIN MARIETTA PREAMPLIFIER CHIP

PROJECT NO: 3 81 1073

TITLE: REAL TIME ULTRASONIC IMAGING

COST: \$200,000

**GOAL: AUTOMATE ULTRASONIC INSPECTION** 


OF MATERIEL

#### **RESULTS**

THIS PROJECT DEMONSTRATED THE CAPABIL-ITY TO LOCATE FLAWS IN COMPOSITE AND METALLIC STRUCTURES USING A REAL TIME ULTRASONIC IMAGING SYSTEM (RTUIS).

THE SYSTEM CONSISTS OF A REAL TIME ULTRASONIC IMAGER, MATERIEL MANIPULATOR, A SPECIAL SPLIT CAMERA, AND SELECTED VIDEO IMAGE PROCESSING EQUIPMENT.

THESE RESULTS WILL BE USED TO FABRICATE A PROTOTYPE RTUIS TO INSPECT ROCKET LAUNCH TUBES IN A REDUCED TIME OF POTENTIALLY ONE MINUTE OR LESS.



REAL TIME ULTRASONIC IMAGING SYSTEM (RTUIS) CONCEPT

PROJECT NO: 3 81 1086

TITLE: COBALT REPLACEMENT IN MARAGING

STEEL FOR ROCKET MOTOR

**COMPONENTS** 

COST: \$300,000

**GOAL: CONSERVATION OF CRITICAL STRATEGIC** 


**MATERIAL** 

#### **RESULTS**


● A MANUFACTURING SEQUENCE FOR PRODUC-ING COBALT FREE (FREE-CO) TOW MISSILE BODIES WAS ESTABLISHED.

● 50 FREE-CO TOW ROCKET MOTOR CASES WERE PRODUCED FOR FURTHER EVALUATION BY MICOM.

THE APPLICABILITY OF FREE-CO MANUFACTURING TECHNOLOGY TO LARGER SIZE ROCKETS WAS DEMONSTRATED.



FREE-CO 250 TOW MOTOR CASE PROCESS FLOW CHART



LITHIUM FERRITE TOROID

PROJECT NO: R 77,78 3133

TITLE: PRODUCTION OF LITHIUM FERRITE
PHASE SHIFTER FOR PHASED ARRAY

**RADARS** 

COST: \$530,000

GOAL: REDUCE COST BUT RETAIN PERFORMANCE OF TOROIDS

- METHODS FOR PRODUCTION OF LITHIUM FER-RITE FOR PHASE SHIFTER TOROIDS HAVE BEEN DEMONSTRATED IN THE PILOT LINE.
- COST SAVINGS OF ABOUT \$8 PER TOROID HAVE BEEN DEMONSTRATED WHICH EQUATES TO ABOUT \$40,000 PER RADAR SET.
- THERE IS A HIGH POTENTIAL FOR IMPLEMENTATION IN THE ANTI-TACTICAL MISSILE.

PROJECT NO: R 79 3136

TITLE: IMPROVED MANUFACTURING

PROCESSES FOR COMPLIANT BEARING

**GYROS** 

COST: \$350,000

**GOAL: IMPROVE AND AUTOMATE THE** 

**MANUFACTURING OF THIS LOW COST** 

**ALTERNATE GYRO** 

#### RESULTS

● A PILOT PRODUCTION LINE WAS ESTABLISHED THAT INCLUDES:


- AUTOMATED DYNAMIC BALANCING OF THE ROTOR.

- INEXPENSIVE MOLDED MAGNET ASSEMBLY.

- MULTICAVITY MOLD FOR THE COMPLIANT LAYER THAT ALLOWS PART INTER-CHANGEABILITY.

- AUTOMATED FINAL TEST.

● GYRO COST CAN BE REDUCED FROM \$1400 TO \$434 IF IMPLEMENTED ON COPPERHEAD.



COPPERHEAD SEEKER HEAD



SCREEN PRINTER



FIRING FURNACE

**PROJECT NO: R 79 3146** 

TITLE: FINE LINE HYBRID SUBSTRATES

COST: \$350,000

**GOAL: REDUCE MANUFACTURING COSTS** 

- FINE LINE MULTILAYER SUBSTRATES HALVED MATERIAL COSTS AND ACHIEVED AN AREA RE-DUCTION OF 2:1.
- TOTAL AVERAGE YIELD IN EXCESS OF 71 PER-CENT WAS ACHIEVED FOR HYBRIDS WITH THREE METALLIZATION LAYERS, ALL HAVING LINE WIDTHS OF 5 MILS OR LESS.
- TECHNOLOGY PROVIDED INCREASED PER-FORMANCE AND RELIABILITY

PROJECT NO: R 77.78 3188

TITLE: INFRARED IMAGING SEEKERS FOR

THERMAL HOMING MISSILES

COST: \$960,000

GOAL: REDUCE MANUFACTURING COST OF


IR IMAGING SEEKERS

#### RESULTS


● PROCESSES WERE DEFINED WHICH ALLOWED THE REPLACEMENT OF MACHINED METAL PARTS WITH INJECTION MOLDED CAR-BON FIBER FILLED PLASTIC COMPONENTS.

● THE ADVANCED PROCESSES ENABLED A LARGE SCALE PRODUCTION UNIT COST OF \$5417, VERY NEAR THE DESIGN-TO-COST TARGET OF \$5160.

 A MODIFIED VERSION OF THIS DESIGN MAY ALSO BE IMPLEMENTED BY USAF.



IR IMAGING SEEKER



- 1 TUNGSTEN IRIDIUM CATHODE
- 2) UNCOATED HEATER, WIRE DIA 006 IN
- MOLY NICKEL POTTING
- 4 RHENUM SUPPORT SLEEVE 0 001 INCH THICK
  - MOLY NICKEL BRAZE

CATHODE-HEATER ASSEMBLY (METALLIC POTTING DESIGN)

PROJECT NO: R 77,79,80 3217

TITLE: AUTOMATIC PRODUCTION OF

**TRAVELING WAVE TUBES** 

COST: \$1,761,000

**GOAL: IMPROVE THE MANUFACTURING** 

**TECHNIQUES OF TRAVELING WAVE** 

**TUBES** 

- LOWER COST MANUFACTURING TECHNOLOGY HAS BEEN DEVELOPED FOR THE PRODUCTION OF TRAVELING WAVE TUBES.
- THE CURRENT COST OF THE TUBE IS ABOUT \$20,000. LITTON'S COST ANALYSIS PROJECTS A UNIT COST OF \$6,344 FOR THE 6000TH UNIT.
- THE PATRIOT PROGRAM IS CURRENTLY USING THESE TRAVELING WAVE TUBES.

### DARCOM MMT ACCOMPLISHMENT

#### **MISSILE COMMAND**

FIGURE 1 - SPAR BASED SYSTEM MOCKUP




FIGURE 2 - CONCEPT MODEL-T.V. CAMERA ASSEMBLY

PROJECT NO: R 79, 80 3219

TITLE: AUTOMATIC POLYMER DIE ATTACH-

**MENT METHODS** 

COST: \$400,000

GOAL: REDUCE MANUFACTURING COSTS BY

INCREASING HYBRID BOND YIELDS

#### **RESULTS**

- AN AUTOMATIC CHIP RECOGNITION SYSTEM WITH IMAGE PROCESSING AND PATTERN RECOGNITION WAS DEVELOPED AND IMPLEMENTED ON AN AUTOMATIC DIE BONDER.
- SYSTEM HAS CAPABILITY OF PROCESSING 25 SUBSTRATES PER HOUR WITH 30 DIE PER SUBSTRATE.
- NEW ATTACHMENT TECHNIQUES INCREASED HYBRID BONDING YIELDS 25 PERCENT. KULICKE & SOFFA IS BUILDING THE PROTOTYPE SYSTEM UNDER MMT FOLLOW-ON PROJECT 3 82 1076.

46

PROJECT NO: 3 7T,79 3287

TITLE: PRODUCTION METHODS FOR LOW COST

**STRIP LAMINATE MOTOR CASES** 

COST: \$525,000


GOAL: ESTABLISH STRIP LAMINATE PROCESS FOR ROCKET MOTOR COMPONENTS

### RESULTS

THE PROJECT PROVED THAT LOW COST CONFIGURATIONS CAN BE ACHIEVED BY A STRIP LAMINATE PROCESS WITH NO PERFORMANCE PENALTIES.

THE STRIP LAMINATE PROCESS PROVIDES A LOW COST ALTERNATIVE TO THE DESIGN ENGINEER.

THE STRIP LAMINATE PROCESS COULD LOWER THE CASE COST OF THE CHAPARRAL BY 19 TO 30 PERCENT.



STRIP LAMINATE FABRICATION SEQUENCE

PROJECT NO: 3 80 3294

TITLE: PRODUCTION PROCESS FOR ROTARY

**ROLL FORMING** 

COST: \$300,000

**GOAL: REDUCE MANUFACTURING COSTS** 

#### **RESULTS**

● THE PROJECT DEMONSTRATED THAT THE SPINNING PROCESS WITH FULLY AUTOMATIC CYCLE CONTROL IS THE BEST METHOD FOR MANUFACTURING ROCKET MOTOR CASES FROM MILL PRODUCTS.

● THE PROJECT DETERMINED THAT ELECTRICAL RESISTANCE WELDED MECHANICAL TUBING IS ESPECIALLY AMENABLE TO MOTOR CASE MANUFACTURE.

THE PROJECT RESULTS FORM THE BASIS FOR THE PHASE II (FY81) FOLLOW-ON OF CONCEPT DEMONSTRATION, TESTING, AND THE PREPARATION OF DETAILED MANUFACTURING PROCEDURES.

30 mm (2.36 in.)

30 mm (1.25 in.)

30 mm (1.25 in.)

30 mm (1.25 in.)

7.6 mm (-0.3 in.)

7.8 mm (-0.3 in.)

7.9 mm (1.25 in.)

200 mm (1.25 in.)

300 mm (1.25 in.)

300 mm (1.25 in.)

300 mm (1.25 in.)

300 mm (1.25 in.)

219 mm (1.625 in.)

316 mm (0.125 in.)

**EXPERIMENTAL MOTOR CASE TARGET DESIGN** 


PROJECT NO: R 78,80 3396

TITLE: LOW COST - ONE PIECE NOZZLES

COST: \$360,000

GOAL: REDUCE PRODUCTION COSTS WITH INJECTION MOLDING TECHNIQUES

- TOOLING FOR INJECTION MOLDING MISSILE NOZZLES WAS DESIGNED AND FABRICATED.
- TWENTY NOZZLES WERE MOLDED FROM PHENOLIC MATERIALS AND SUBJECTED TO LAB ANALYSIS AND SIMULATED ROCKET MOTOR ENVIRONMENTS.
- THE MOLDING PROCESS ESTABLISHED FOR THE NOZZLES ALLOWS 10 TIMES FASTER MOLDING RATES THAN THE TRADITIONAL PROCESS.
- UPON IMPLEMENTATION, MANUFACTURING COSTS AND PART RELIABILITY ARE EXPECTED TO SUBSTANTIALLY IMPROVE.



INJECTION MOLDED MLRS NOZZLE




FIGURE 1 - EXPERIMENTAL HYBRID PACKAGES WITH AND WITHOUT EVAPORATOR WICKS

**PROJECT NO: R 79 3410** 

TITLE: HEAT PIPES FOR HYBRID MICRO-

CIRCUITS

COST: \$250,000

**GOAL: ESTABLISH A PRODUCTION CAPABILITY** 

- LOW COST PRODUCTION TECHNIQUES WERE DOCUMENTED FOR FABRICATING HEAT PIPE COOLED MICROCIRCUIT PACKAGES AT A RATE OF 15 PER HOUR.
- HEAT PIPE COOLED PACKAGES LOWERED TRANSISTOR CHIP JUNCTION TEMPERATURE 50 PERCENT COMPARED TO NON-HEAT VERSIONS OF THE SAME PACKAGE.
- TECHNOLOGY CAN BE USED TO INCREASE POWER DENSITIES, RESULTING IN FEWER CHIPS PER CIRCUIT.

### DARCOM MMT ACCOMPLISHMENT

#### **MISSILE COMMAND**

PROJECT NO: R 80 3411

TITLE: MANUFACTURE OF NON-PLANAR

PRINTED CURCUIT BOARDS

COST: \$220,000

**GOAL: ESTABLISH COST EFFECTIVE PROCESSES** 

FOR NON-PLANAR CIRCUIT BOARDS


#### **RESULTS**

 PROCEDURES FOR MANUFACTURING THE REFLECTOR AND SPIRAL ELEMENT FOR A CASSEGRAIN TYPE ANTENNA WERE DEVELOPED.

 A MULTILAYER CYLINDRICAL CIRCUIT BOARD INCLUDING A TEST PATTERN WAS PRODUCED.

 THE SELECTED METHOD OF MANUFACTURE WAS TO PROCESS THE BOARD WHILE FLAT, THEN BEND AND CURE IT INTO THE FINAL CONFIGURATION.

 COMPLETION OF THE EFFORT AND IMPLEMEN-TATION ON THE COPPERHEAD WOULD RESULT IN AN ESTIMATED SAVINGS OF \$3 MILLION.



**COMPLETED CYLINDRICAL CIRCUIT BOARD** 

PROJECT NO: R 78, 80 3436

TITLE: LARGE SCALE HYBRID MICROCIRCUITS

COST: \$1,000,000

**GOAL: INCREASE HYBRID CIRCUIT YIELDS AND** 

RELIABILITY


#### **RESULTS**

 MICROCIRCUITS WITH 10 MIL LINES AND 150-12.5 MIL DIAMETER VIAS FOR 4 TO 6 LAYERS CAN BE PRODUCED WITH 60 PERCENT INITIAL YIELDS.

 BUMPED TAPE CARRIERS WITH PLASTIC SLIDE TEST BEDS WERE DEMONSTRATED WITH IN-PROCESS FUNCTIONAL TESTING.

● USE OF KRYPTON-85 REDUCED THE LEAK TEST TIME FROM 28 HOURS TO 1-1/2 HOURS.

● A COST REDUCTION OF 20 PERCENT IS ANTICI-PATED FOR PASSIVE OPTICAL SEEKER PRODUC-TION.



HYBRID MICROCIRCUIT USING BTAB TECHNOLOGY

PROJECT NO: R 79 3438

TITLE: DELIDDING AND RESEALING HYBRID

**MICROCIRCUIT PACKAGES** 

COST: \$200,000

GOAL: REDUCE MATERIAL AND LABOR MANUFACTURING COSTS

### RESULTS

 SAWING EQUIPMENT AND PROCESSES WERE DE-VELOPED AND REFINED TO DELID AND RESEAL BOTH BUTTERFLY AND BATHTUB HYBRID MICROCIRCUIT PACKAGES.

 QUALIFICATION TESTING PER MIL-STD-883 VERI-FIED THAT HYBRID PERFORMANCE WAS NOT DE-GRADED AFTER REWORK AND RESEAL.

THIS REWORK CAPABILITY WILL INCREASE WELDED HYBRID PACKAGE YIELD 30 PERCENT AND CAN PROVIDE POTENTIAL SAVINGS OF \$2.5 MILLION PER YEAR.



**HYBRID PACKAGE ABOUT TO BE MACHINED** 

PROJECT NO: R 79.80 3445

TITLE: PRECISION MACHINING OF OPTICAL

COMPONENTS

COST: \$700,000

GOAL: DEVELOP MASS PRODUCTION TECHNIQUES

FOR OPTICAL COMPONENTS


#### RESULTS

 A SURVEY OF DOD APPLICATIONS FOR OPTICAL COMPONENTS WAS CONDUCTED.

 SPECIFICATIONS WERE DEVELOPED AND PERSONNEL WERE TRAINED IN THE OPERATION OF PRECISION DIAMOND TURNING EQUIPMENT.

• MANUFACTURING PROCESSES WERE ESTABLISHED AND PROOF PARTS WERE PRODUCED.

• WHEN IMPLEMENTED WITH SUPPORTING FACILITIES, IT IS ESTIMATED THAT \$1.2 MILLION PER YEAR WILL BE SAVED.



PRECISION DIAMOND TURNING MACHINE

### DARCOM MMT ACCOMPLISHMENT

**MISSILE COMMAND** 

PROJECT NO: R 78 3453

TITLE: IMPROVED PRODUCTION TECHNIQUES

FOR GROUND LASER LOCATOR

COST: \$211,000

GOAL: DEMONSTRATE HIGH PRODUCTION

RATE MANUFACTURING METHODS FOR


LASER Q-SWITCHES

#### RESULTS

● IMPROVED MANUFACTURING PROCESSES HAVE BEEN DEMONSTRATED IN A PRODUCTION FACILITY CAPABLE OF PRODUCING 250 LITHIUM NIOBATE Q-SWITCHES PER MONTH.

● COMPANIES SUCH AS HUGHES, ILS AND FERRANTI PURCHASE THESE Q-SWITCHES TO SUPPORT TRAM, A6, GLLD, GVLLD, MULE AND DIVAD.

● AS A MINIMUM, COST SAVINGS OF \$150 PER Q-SWITCH FOR THE DIVAD PROGRAM AND \$70 PER Q-SWITCH FOR THE GVLLD WILL BE EXPERIENCED.



**EXPLODED VIEW OF Q-SWITCH** 

PROJECT NO: 3 78 3454

TITLE: LO C ST - HI VOLUME RADIOGRAPHIC

INSPECTION

COST: \$200,000

GOAL: DEVELOP A NONFILM RADIOLOGIC


**INSPECTION SYSTEM** 

#### RESULTS

● THIS PROJECT PRODUCED A NONFILM RADIOLOGIC INSPECTION SYSTEM FOR EVALUATING HIGH PRODUCTION VOLUME MISSILE COMPONENTS.

 THIS SYSTEM FEATURES REAL-TIME X-RAY, DIGITAL IMAGE ENHANCEMENT, REMOTE PART POSITIONING, AND COMPUTER AIDED OPERATIONS.

● THE ROLAND MISSILE FINAL ASSEMBLY INSPECTION WAS CHOSEN FOR IMPLEMENTATION. ONCE THIS TECHNOLOGY IS IMPLEMENTED, A POTENTIAL COST REDUCTION OF 8:1 AND TIME REDUCTION OF 5:1 IS ANTICIPATED IN THE INSPECTION OPERATION.



NONFILM RADIOLOGIC INSPECTION SYSTEM CONCEPT

### DARCOM MMT ACCOMPLISHMENT TANK-AUTOMOTIVE COMMAND

PROJECT NO: 4 74,75,7T 4568

TITLE: TECHNICAL DATA/CONFIGURATION MANAGEMENT SYSTEM (TD/CMS)

COST: \$820,000

GOAL: IMPROVE THE EFFECTIVENESS OF TACOM TD/CMS AND ESTABLISH DARCOM STANDARD TD/CMS

#### **RESULTS**

- THE TD/CMS WAS MANDATED AS A DARCOM STANDARD SYSTEM BY ALL MAJOR SUBORDINATE COMMANDS IN 1977.
- THE TECHNICAL DATA FOR 15 TRACKED COMBAT VEHICLE SYSTEMS WERE REVIEWED AND VALIDATED.
- AUTOMATIC GENERATION OF TECHNICAL DATA PACKAGES WAS ESTABLISHED TO SUPPORT PROCUREMENT ACTIONS.

RELEASED DATA REQUEST FOR TOPL FILES

MICROFILM MICROFILM SYSTEM FILES

MICROFILM APERTURE AND DATA PACKAGE AND RETRIEVAL

STORAGE AND RETRIEVAL OF TECHNICAL DOCUMENTS ON MICROFILM

# DARCOM MMT ACCOMPLISHMENT TANK & AUTOMOTIVE COMMAND

PROJECT NO: T 77 5014


TITLE: IMPROVED FOUNDRY CASTING PROCESSES

COST: \$560,000

**GOAL: REDUCE COSTS FOR CASTINGS** 

#### RESULTS

- COMPUTER PROCEDURES WERE SUCCESSFULLY ESTABLISHED FOR SIMULATING THE CASTING SOLIDIFICATION PROCESS.
- TEST CASTINGS WERE FABRICATED AT BLAW-KNOX. SIMULATION RESULTS WERE FOUND TO BE IN GOOD AGREEMENT WITH TEST RESULTS.
- UPON IMPLEMENTATION, HIGHER QUALITY
   CASTINGS ARE EXPECTED AND AN ESTIMATED
   \$1 MILLION PER YEAR WILL RESULT FROM A
   REDUCTION IN SCRAP.



DRAG PORTION OF STEPPED PLATE CASTING MODEL USED FOR MESH GENERATION

### DARCOM MMT ACCOMPLISHMENT TANK-AUTOMOTIVE COMMAND


PROJECT NO: T 78,81 5014

TITLE: IMPROVED FOUNDRY CASTING PROCESS

COST: \$465,000

**GOAL: REDUCE COSTS FOR CASTINGS** 


- OCOMPUTER PROCEDURES WERE ESTABLISHED TO SIMULATE CASTING SOLIDIFICATION IN THE NO-BAKE SAND AND GREEN SAND PROCESSES.
- TEST CASTINGS WERE FABRICATED AT TWO PRODUCTION FOUNDRIES. SIMULATION RESULTS WERE IN AGREEMENT WITH TEST RESULTS.
- UPON IMPLEMENTATION, HIGHER QUALITY CASTINGS ARE EXPECTED. AN ESTIMATED \$1 MILLION PER YEAR WILL RESULT FROM A REDUCTION IN SCRAP.



TEST PLATE PATTERN SIDE VIEW AND CASTING TOP VIEW INDICATING THERMOCOUPLE POSITIONS

### DARCOM MMT ACCOMPLISHMENT

**TANK-AUTOMOTIVE COMMAND** 



INTERIOR AND EXTERIOR (REAR)
M113A1/A2 CARRIER

PROJECT NO: T 79 5045

TITLE: SPALL SUPPRESSIVE ARMOR FOR

**COMBAT VEHICLES** 

COST: \$150,000

**GOAL: IMPROVE SAFETY OF COMBAT VEHICLES** 

- A METHOD OF ATTACHMENT FOR AN INTERNAL SPALL LINER SYSTEM WAS DEVELOPED FOR THE M113A1/A2 CARRIER.
- THREE LINER KITS WERE FABRICATED FOR INSTALLATION IN TEST VEHICLES.
- AFTER EVALUATION OF THE SYSTEM DURING THE SECOND YEAR OF THE PROGRAM, IMPLEMENTATION WILL RESULT IN A CARRIER LESS PRONE TO CASUALITIES FROM SPALLING EFFECTS.

### DARCOM MMT ACCOMPLISHMENT TANK-AUTOMOTIVE COMMAND

TEST TEST

COMMITTIONS RESULTS

PUBLISHED

DATA

FOR FUTURE TESTS

PACKAGE

PACKAGE

PUBLISHED

DATA

PORT FOR FUTURE TESTS

PACKAGE

PUBLISHED

DATA

FOR FUTURE TESTS

PUBLISHED

DATA

FOR FUTURE TESTS

PUBLISHED

DATA

FOR FUTURE TESTS

GENERATE

REPORT

TEST DATA

GENERATE

LISTINGS

GENERATE

LISTINGS

ORIGINAL DATA

ORIGINAL DATA

**MACHINING DATA STORAGE SYSTEM** 

PROJECT NO: T 79 5090

TITLE: IMPROVED AND COST EFFECTIVE

MACHINING TECHNIQUES

COST: \$446,000

**GOAL: REDUCE MANUFACTURING COSTS** 

- A HANDBOOK OF RECOMMENDED STARTING POINTS FOR CUTTING CONDITIONS WAS DEVELOPED
- THE DATA ENABLES SELECTION OF THE MOST EFFICIENT AND LEAST EXPENSIVE TOOLING FOR MACHINING OPERATIONS
- LEAD TIME OF COMPONENTS WILL BE IM-PROVED WHILE TOTAL COST IS REDUCED

VACUUM PUMP
AND TANK
SEAL
VALVE
VALVE

FRACER

TRACER
STORAGE

TRACER
TO DETECTOR

RESTRICTION OF INCHES W.G.

MANUAL J. WAT YALVE J.OR
BACAGROUND CHECK
TRACER
TO DETECTOR

TO LPM

RESTRICTION

OUR TECTOR

OUR TECT

**GAS MASK TESTER** 

PROJECT NO: 5 77 1327

TITLE: IMPROVED GAS MASK LEAKAGE

**TESTING** 

COST: \$305,000


GOAL: ESTABLISH A MORE RELIABLE, SENSI-

TIVE, AND COMPACT GAS MASK TESTER

#### **RESULTS**

● A PROTOTYPE GAS MASK LEAKAGE TESTER WAS DEVELOPED WHICH EXHIBITED IN-CREASED RELIABILITY AND ACCURACY.

• FUTURE MASK TESTERS WILL BE DESIGNED BASED ON DATA GENERATED DURING THIS PROJECT.



TAPE SPECIMEN DURING TACK TEST

PROJECT NO: 5 78 1345

TITLE: MT FOR BIO-DETECTION AND WARNING

SYSTEM (BDWS)

COST: \$480,000

**GOAL: ESTABLISH A PILOT FACILITY FOR** 

**MANUFACTURE OF TAPE FOR THE XM19** 

**REFILL KIT** 

#### **RESULTS**

THE MANUFACTURING METHODS AND PHYSICAL PROPERTIES OF TAPE COATING WERE DEVELOPED.

THE PHYSICAL PROPERTIES AND SPECIFICATIONS DEVELOPED WERE USED AS A GUIDE TO SUCCESSFULLY PRODUCE TAPES ON A LARGER PILOT SCALE UNIT.



ITEM. MIS GRENADE
TYPE CORE SURNING

COLORS RED. VIOLET, GREEN, YELLOW

SIZE 25 INCH DIAMETER, 45 INCHES LONG

WEIGHT (TOTAL) 107 LB

FUZE M201A1 PYROTECHNIC FUZE

SURNING TIME 50-80 SECONDS

PROJECT NO: 5 79 1403

TITLE: SUBSTITUTION OF NON-TOXIC DYES IN

**SMOKE GRENADES** 


COST: \$315,000

GOAL: SUBSTITUTE NON-CARCINOGENIC, NON-MUTAGENIC, AND MINIMALLY TOXIC

DYES FOR USE IN SMOKE GRENADES

- NON-CARCINOGENIC DYES WERE SUCCESSFULLY SUBSTITUTED INTO YELLOW AND GREEN M18 GRENADES.
- PERFORMANCE AND HAZARDS TESTING IN-DICATED THAT THE NEW FORMULATIONS WERE SAFE AND EFFECTIVE.
- ADDITIONAL BENEFIT GAINED IN COST SAVINGS OF \$293,680/YEAR DUE TO LOWER DYE COSTS.

### DARCOM MMT ACCOMPLISHMENT ARMAMENT READINESS COMMAND



**TAIL CONE** 

PROJECT NO: 5 79,80 1903

TITLE: DIE CAST TAIL CONE AND ONE-PIECE

SKIN FOR BLU-96/B

COST: \$1,626,000

**GOAL: REDUCE MANUFACTURING COSTS** 

#### **RESULTS**

THE 92 POUND TRIM WEIGHT TAIL CONE WAS THE LARGEST PART EVER SUCCESSFULLY DIE CAST FOR A WEAPONS SYSTEM

THE 97 TON DIE SET WAS THE FIRST TO BE DESIGNED WITH THE AID OF A COMPUTER

● A \$47,000,000 SAVINGS IS ESTIMATED ON A PRO-DUCTION RUN OF 100,000 COMPONENTS, IF THE BLU-96/B IS PLACED INTO PRODUCTION

PROJECT NO: 5 77,78 4000

TITLE: AUTOMATED M55 DETONATOR PRODUCTION EQUIPMENT

COST: \$2,182,900

**GOAL: DEVELOP FULLY AUTOMATED SYSTEM** 

FOR M55 STAB DETONATORS

#### **RESULTS**


 AN AUTOMATIC INSPECTION MODULE FOR INSPECTING DETONATOR CUPS WAS BUILT.

● AN IMPROVED ASPIRATOR AND AUTOMATIC LACQUER DISPENSING SYSTEMS WERE ESTABLISHED.

THE MULTI-TOOL LOADER AT IOWA AAP WAS IMPROVED AND REFINED.

● AUTOMATIC PACKOUT MODULE AND MATERIAL HANDLING SYSTEM CONCEPTS WERE ESTABLISHED.

PARAMETERS FOR ULTRASONIC SEALING OF DETONATORS WERE ESTABLISHED.



**MULTI-TOOL LOADER** 

PROJECT NO: 5 80 4033

TITLE: CAUSTIC RECOVERY FROM SODIUM

**NITRATE SLUDGE** 

COST: \$153,000

**GOAL: ESTABLISH OPTIMUM PROCESS FOR** 

SODIUM NITRATE SLUDGE DISPOSAL

#### **RESULTS**


THE USE OF AMMONIA FOR NEUTRALIZATION FOLLOWED BY CATALYTIC HYDROGENATION WAS SELECTED FOR FURTHER EVALUATION IN

A FOLLOW-ON PROJECT.

THE USE OF INCINERATION FOR DISPOSAL OF THE SPENT ACID SLUDGE WAS FOUND TO BE A VIABLE CONCEPT BUT REQUIRED A LARGER CAPITAL INVESTMENT.



**NEUTRALIZATION AND HYDROGENATION PROCESS** 



**SLURRY MONITOR** 

PROJECT NO: 5 79 4059

TITLE: OPTIMIZATION OF NITROGUANIDINE IN

**M30 PROPELLANT** 

COST: \$271,000

**GOAL: PROVIDE ON-LINE PARTICLE SIZE** 

**ANALYSIS** 

#### RESULTS

 DRY POWDER AND SLURRY NITROGUANIDINE MONITORS WERE EVALUATED

● A CORRELATION BETWEEN THE SLURRY MONITOR AND THE CURRENTLY SPECIFIED METHOD OF PARTICLE SIZE ANALYSIS WAS ESTABLISHED

 APPLICABILITY OF THE SLURRY MONITOR FOR PROCESS CONTROL IN THE CRYSTALLIZING OPERATION WAS ESTABLISHED

PROJECT NO: 5 79 4064

TITLE: AUTOMATED ASSEMBLY OF TANK

**CARTRIDGES** 

COST: \$1,320,000

**GOAL: REDUCE MANUFACTURING COSTS AND** 


**IMPROVE SAFETY** 

#### **RESULTS**


● A PRODUCTION SYSTEM FOR THE AUTOMATED LOAD AND ASSEMBLY OF A FAMILY OF 105MM TANK CARTRIDGES WAS DESIGNED.

THE LINER-TO-CASE ASSEMBLY SUBSYSTEM WAS EXPERIMENTALLY MODELED. A DETAILED TECHNICAL DATA PACKAGE ON THIS SUBSYSTEM WAS PREPARED.

FOLLOW-ON EFFORTS WILL IMPLEMENT THE RESULTS OF THIS PROJECT. AN ESTIMATED ANNUAL SAVINGS OF \$4.5 MILLION CAN BE ACHIEVED THROUGH THE TOTAL SYSTEM UNDER PEACETIME PRODUCTION.



LINER-TO-CASE ASSEMBLY PRODUCTION LINE



LINEAR MODEL FOR PARTICLE CONCENTRATION VS. OPTICAL DENSITY FOR ALL DATA COLLECTED

PROJECT NO: 5 79,80 4084

TITLE: OPACITY/MASS EMISSION CORRELATION STUDY

COST: \$212,000

GOAL: ESTABLISH A CORRELATION UTILIZING INEXPENSIVE, COMMERCIALLY AVAILABLE MONITORING EQUIPMENT

- THE RELATIONSHIP BETWEEN PARTICLE CON-CENTRATION AND OPACITY WAS ESTABLISHED.
- AN EMPIRICAL EQUATION WAS DEVELOPED FOR PREDICTING ESTIMATES OF PARTICLE CONCENTRATIONS.
- A LESS COSTLY ALTERNATIVE TO THE TRADI-TIONAL MASS EMISSIONS TESTING METHOD HAS BEEN DEMONSTRATED.

CASBL PROCESS FLOW

11MED ALCOHOL MODIFIAP (MEMOLAL)

RECEIVANCE STORAGE STORAGE STORAGE STORAGE STORAGE

WHENCECLULACE MANUFACTURE

WHENCECLULACE MANUFACTURE

COMPOUNDING

COMPOUNDING

COMPOUNDING

COMPOUNDING

COMPOUNDING

COMPOUNDING

COMPOUNDING

MANUFACTURE

MODIFIAC

COMPOUNDING

COMPOUNDING

COMPOUNDING

MODIFIAC

MOD

**CASBL PROCESS FLOW** 

PROJECT NO: 5 81 4145

TITLE: CONTROL DRYING FOR AUTOMATED SINGLE BASE PROPELLANT MFG

COST: \$327,000

GOAL: DEVELOP ON-LINE MONITORING OF PROCESS DRYING STREAMS

- TO CONTROL MOISTURE AND VOLATILES CON-TENT OF PROPELLANT, A GAS CHROMA-TOGRAPHIC SYSTEM WAS PROCURED FOR MONITORING SOLVENT RECOVERY AND WATER DRY OPERATIONS.
- LABORATORY EVALUATION OF 4 CONDENSATE FLOWMETERS WAS COMPLETED.
- IF FUTURE INSTALLATION AND PROVEOUT OF THE EQUIPMENT IS SUCCESSFUL. IT IS ESTIMATED THAT A YEARLY SAVINGS OF \$250,000 CAN BE ACHIEVED.

AMMONIUM MITRATE

UREA

MITRIC ACID

CONCENTRATION

AMMONIUM SULFATE

PROCESS

AMMONIUM SULFATE

AMMONIUM

NITROGUANIDINE VIA THE UREA/
AMMONIUM NITRATE PROCESS

**PROJECT NO: 5 74 4169** 

TITLE: ESTABLISHMENT OF AN IMPROVED PROCESS FOR THE MANUFACTURE OF


**NITROGUANIDINE** 

COST: \$403,000

GOAL: PROVIDE DESIGN CRITERIA FOR DOMESTIC NITROGUANIDINE

MANUFACTURING FACILITY

- ESTABLISHED TECHNOLOGY AND PILOT FACILITY FOR NITROGUANIDINE VIA THE UREA/AMMONIUM NITRATE PROCESS.
- UPDATED THE PROCESS ENGINEERING DESIGN FOR NITROGUANIDINE VIA THE BRITISH AQUEOUS FUSION PROCESS.



FLUIDIC HIGH TEMPERATURE SENSOR

PROJECT NO: 5 79 4189

TITLE: HIGH FRAGMENTATION STEEL

**PRODUCTION PROCESS** 

COST: \$633,000

**GOAL: OPTIMIZE PRODUCTION PROCESS** 

- THE PURCHASE AND CHARACTERIZATION OF HF1 STEEL FOR FUTURE YEARS' PROCESS OPTI-MIZATION INVESTIGATIONS WAS COMPLETED
- A FLUIDIC HIGH TEMPERATURE SENSOR AND PROBE WAS DEVELOPED FOR MORE ACCURATE FURNACE CONTROL

PROJECT NO: 5 76,77,78 4228

TITLE: AUTOMATED BAG LOADING, CHARGE ASSEMBLY AND PACKOUT FOR THE 155MM AND 8-INCH PROPELLING CHARGES


COST: \$2,721,400

GOAL: AUTOMATE LOAD, ASSEMBLY, AND PACK OF PROPELLING CHARGES

#### **RESULTS**


THE FOLLOWING MAJOR SUB-SYSTEMS OF THE AUTOMATED SYSTEM WERE ESTABLISHED: BAG LOADING CAROUSEL, CHARGE ASSEMBLY MACHINE, PACKOUT LINE, BULK-FILL SCALE, CONTROL CONSOLE, AND CONVEYOR SYSTEM.

 OPERATION OF THE CHARGE ASSEMBLY MACHINE, PACKOUT LINE, AND CANISTER PRINTER WERE SATISFACTORY AND RECOM-MENDED FOR INSTALLATION.



**PACKOUT LINE STATIONS** 

THIS PAGE INTENTIONALLY LEFT BLANK



**RDX NITROLYSIS PROCESS** 

PROJECT NO: 5 75,7T 4252

TITLE: IMPROVE PRESENT PROCESS FOR THE MANUFACTURE OF RDX AND HMX

COST: \$940,000

GOAL: ESTABLISH PROCESS IMPROVEMENTS IN THE MANUFACTURE OF RDX AND HMX

- THE FOLLOWING PROCESS IMPROVEMENTS
  WERE IDENTIFIED: THE FIRST AGING PERIOD OF
  THE BATCH HMX PROCESS WAS ELIMINATED, A
  REDUCTION IN THE SIMMER TIME WAS
  ACHIEVED, AND THE ADDITION OF HEXAMINE TO
  THE REACTOR HEEL INCREASED HMX YIELDS.
- THE IMPROVEMENTS CITED ABOVE WERE IMPLEMENTED AT HOLSTON AAP IN 1982.


PROJECT NO: 5 77,78 4267
TITLE: CONTINUOUS PROC

TITLE: CONTINUOUS PROCESS FOR GRANULAR COMPOSITION B

COST: \$712,000

GOAL: DESIGN, PROCURE, INSTALL, AND OPERATE EQUIPMENT FOR PRODUCING GRANULAR COMPOSITION B

- A ROTATING CUP TECHNOLOGY WAS SELECTED FOR THE PRILLING OF COMPOSITION B.
- GRANULAR COMPOSITION B PRESENTS NO IMPACT HAZARD WHEN DROPPED FROM A PRILLING TOWER.
- PROTOTYPE EQUIPMENT WILL BE PROCURED AND EVALUATED IN A FOLLOW-ON PROJECT.



**ROTATING CUP** 

PROJECT NO: 5 79 4281-A02

TITLE: OPTIMIZED INSULATION

COST: \$193,000

**GOAL: REDUCE ENERGY CONSUMPTION** 

**RESULTS** 

• SEVERAL INSULATING MATERIALS WERE EVALUATED WITH FOAMGLASS BEING THE ONLY ONE TO MEET ALL REQUIREMENTS.

 ONE STAINLESS STEEL NITROCELLULOSE BOIL-ING TUB WAS INSULATED FOR EVALUATION OF ENERGY SAVINGS DURING BOILING AND POACHING OPERATIONS.

● INSULATING THE TUB SIDES REDUCED STEAM USAGE BY 344 LB/HR OVER THE UNINSULATED TUB.

● WITH DUAL TEMPERATURE SENSOR AUTOMATIC EQUIPMENT, STEAM USAGE WAS REDUCED BY 120 LB/HR OVER THE UN-INSULATED MANUALLY CONTROLLED TUB.

● ANNUAL SAVINGS OF \$57,000 CAN BE ACHIEVED AT CURRENT PRODUCT LEVELS.

3 16 TYPE 347 STAINLESS STEEL BOILING TUB

SEE DET A

APPROX 18 24 1 2 THICK FOAMGLASS INSULATION 276 REQ 0

PITTCOTE 300

MASTIC
FIRISH
FINISH
STAINLESS
STEEL FOIL

**BOILING TUB INSULATION DETAILS** 

78

PROJECT NO: 5 77,78 4281-A08

TITLE: CAVITATIONAL REMOVAL OF EXPLO-

SIVES

COST: \$594,800

**GOAL: APPLY CAVITATING WATER JET** 

**TECHNOLOGY TO EXPLOSIVE REMOVAL** 


#### RESULTS

● THE CAVIJET PROCESS PARAMETERS FOR THE REMOVAL OF EXPLOSIVES FROM PROJECTILES WERE DEFINED

● THE CAVIJET PROCESS SUCCESSFULLY RE-MOVED TNT AND COMPOSITION B FROM 105MM PROJECTILES

 PLANS FOR THE MODIFICATION OF THE HIGH PRESSURE WATER WASHOUT FACILITY AT IOWA AAP WERE COMPLETED

THE CAVIJET PROCESS OFFERS A 27 PERCENT POTENTIAL COST SAVINGS OVER THE HIGH PRESSURE WASHOUT METHOD WITH A GREATER DEGREE OF VERSATILITY



SCHEMATIC OF CAVIJET CAVITATING FLUID JET TEST FACILITY

PROJECT NO: 5 78, 79 4285

TITLE: TNT EQUIVALENCY TESTING FOR SAFETY

**ENGINEERING** 

COST: \$807,100

GOAL: DEVELOP DESIGN STANDARDS FOR


HARDENING PROTECTIVE STRUCTURES

#### **RESULTS**

● THE TNT EQUIVALENCIES FOR NITROCELLU-LOSE, COMPOSITION C-4/A-3, BALL POWDER WC844, LX14, 155-MM M483 PROJECTILE, M42 GRENADE TRAY, AND HMX WERE DETERMINED.

THE EQUIVALENCY RESULTS WERE USED TO CALCULATE LOADS ON PROTECTIVE WALLS FOR THESE ENERGETIC MATERIALS.

● THIS DATA, WHEN USED WITH DARCOM 385-100 AND TM5-1300, ENABLES THE DESIGN OF WALLS WHICH WILL RESIST BLAST EFFECTS.



TEST CONTAINER CONFIGURATIONS FOR NITROCELLULOSE

PROJECT NO: 5 80 4285

TITLE: TNT EQUIVALENCY TESTING FOR

SAFETY ENGINEERING

COST: \$407,600

GOAL: DEVELOP DESIGN STANDARDS FOR


HARDENING PROTECTIVE STRUCTURES

#### **RESULTS**

● THE TNT EQUIVALENCIES FOR DIGL-RP PRO-PELLANT. JA-2 PROPELLANT, CYCLOTOL 70/30, RDX, AND PBX C-203 WERE DETERMINED.

● THE EQUIVALENCY RESULTS WERE USED TO CALCULATE LOADS ON PROTECTIVE WALLS FOR THE ENERGETIC MATERIALS.

● THIS DATA WHEN USED WITH DRMCR 385-100 AND TM5-1300 ENABLES THE DESIGN OF WALLS WHICH WILL RESIST BLAST EFFECTS.



TYPICAL CHARGE PLACEMENT FOR RDX EQUIVALENCY TESTS

PROJECT NO: 5 79 4288

TITLE: EXPLOSIVE SAFE SEPARATION AND

SENSITIVITY CRITERIA

COST: \$637,500

**GOAL: IMPROVE SAFETY BY DETERMINING** 

SAFE SEPARATION CRITERIA


#### **RESULTS**

● THE SAFE SEPARATION DISTANCES FOR 155-MM M795 HE AND M549 HE ROCKET ASSISTED PROJECTILES AND BLU BOMBLETS WERE DETERMINED.

● SAFETY CRITERIA WERE INTEGRATED INTO DARCOM 385-100 DOCUMENT.

THESE SAFETY CRITERA WERE APPLIED TO THE DESIGN OF THE LAP LINE AT MISSISSIPPI AAP AND EXISTING LAP LINES AT MILAN AAP, LONE STAR AAP, AND KANSAS AAP.

EACH PROJECTILE CONTAINS 23 5 LBS (11 02 KG) TNT, TYPE 1, SPEC MIL-T-248



PROJECTILE TEST LAYOUT

PROJECT NO: 5 76, 7T 4289

TITLE: HAZARDS CLASSIFICATION STUDIES OF

**EXPLOSIVES AND PROPELLANTS** 

COST: \$315,000

GOAL: ESTABLISH A HAZARDS CLASSIFICA-

TION PROCEDURE FOR EXPLOSIVES AND


**PROPELLANTS** 

#### **RESULTS**

 FRICTION, IMPACT, ELECTROSTATIC DISCHARGE, AND HEAT WERE IDENTIFIED AS THE MOST COMMON CAUSATIVE ACCIDENT STIMULI.

SMALL SCALE TESTS WERE USED TO ESTABLISH SENSITIVITY CRITERIA FOR FOUR MATERIALS.

● THE HAZARD CLASSIFICATION PROCEDURES WERE INTEGRATED INTO EXISTING SAFETY DOCUMENTS.



HAZARDS CLASSIFICATION PROCEDURE

102 mm
(4\*)

0 81 m
(3N\*)
4 INCH RIBBED
(3 1 1/2\*) PANEL

12 1/8\*)

13 0 81 m
(3 1 1/2\*) PANEL

12 1/8\*)

14 mm
(2 3/8\*)

15 mm
(3 1 1/2\*) PANEL

15 mm
(3 1 1/2\*) PANEL

16 mm
(3 1 1/2\*) PANEL

17 mm
(3 1 1/2\*) PANEL

18 mm
(3 1 1/2\*) PANEL

18 mm
(2 3/8\*)

19 mm
(3 1 1/2\*) PANEL

10 mm
(3 1 1/2\*) PANEL

11 mm
(3 1 1/2\*) PANEL

12 mm
(3 1 1/2\*) PANEL

13 mm
(3 1 1/2\*) PANEL

14 mm
(3 1 1/2\*) PANEL

15 mm
(3 1 1/2\*) PANEL

16 mm
(3 1 1/2\*) PANEL

17 mm
(3 1 1/2\*) PANEL

18 mm
(3 1 1/2\*) PANEL

19 mm
(3 1 1/2\*) PANEL

10 mm
(3 1 1/2\*) PANEL

10 mm
(3 1 1/2\*) PANEL

11 mm
(3 1 1/2\*) PANEL

12 mm
(3 1 1/2\*) PANEL

13 mm
(3 1 1/2\*) PANEL

14 mm
(3 1 1/2\*) PANEL

15 mm
(3 1 1/2\*) PANEL

16 mm
(3 1 1/2\*) PANEL

17 mm
(3 1 1/2\*) PANEL

18 mm
(3 1 1/2\*) PANEL

19 mm
(3 1 1/2\*) PANEL

19 mm
(3 1 1/2\*) PANEL

10 mm
(3 1 1

CROSS SECTIONS OF COLD-FORMED STEEL PANELS

PROJECT NO: 5 79 4291

TITLE: BLAST EFFECTS IN THE MUNITION

PLANT ENVIRONMENT

COST: \$235,000

**GOAL: ESTABLISH DESIGN STANDARDS FOR** 

STEEL PANELS TO WITHSTAND

**EXPLOSIVE BLASTS** 

- THE BLAST CAPACITY OF COLD-FORMED STEEL PANELS WAS DETERMINED.
- THE STEEL PANELS EXHIBITED GREATER BLAST CAPACITY THAN PREDICTED BY PREVIOUS CRITERIA.
- THIS DATA WAS USED TO UPDATE THE SAFETY DOCUMENT TM 5-1300.

PROJECT NO: 5 79,80 4322

TITLE: SYSTEM CHARACTERIZATION OF ELECTRON-ICALLY CONTROLLED FACILITIES

COST: \$1,121,000

GOAL: ESTABLISH CRITERIA FOR REACTIVATING ELECTRONIC COMPONENTS

RESULTS

 REACTIVATION DOCUMENTATION WAS PRE-PARED FOR INDUSTRIAL ELECTRONIC CONTROL SYSTEMS AT INDIANA, SUNFLOWER, AND VOLUNTEER AAP'S.

• THE REACTIVATION METHODOLOGY AT VOLUNTEER WAS ESTABLISHED SO A THIRD PARTY OPERATIONAL PROCEDURE IS PRACTICAL.

 UPON TOTAL IMPLEMENTATION, THE ESTABLISH-ED METHODS WILL MINIMIZE MOBILIZATION TIMES THROUGH THE APPLICATION OF USER ADAPTED PROCEDURES.

FACILITY NORMAL OPERATION
DOCUMENT PROCEDURES
HEALTH ESTABLISHED

FACILITY DORMANT PERIOD
CYCLIC OPERATION
UNION THE

OVERVIEW
HAMMAL

USER ADAPTED
START UP HAMMAL

CROSS REFERENCE
MANUAL

FAILURE REPORTING
SYSTEM

LAYAWAY AND MOBILIZATION PLAN (LAMP) ELECTRONIC PROCESS CONTROL SYSTEM

OPERATION AVAILABLE FOR POWDERED METALLURGY PROCESSING

PROJECT NO: 5 79 4335


TITLE: ALTERNATIVE PROCESS FOR TITANIUM

**GYROSCOPES** 

COST: \$451,000

**GOAL: REDUCE MACHINING COSTS** 

- A HOT ISOSTATIC PRESSING TECHNIQUE WAS DEVELOPED AND TESTED TO PRODUCE THE FIVE GYRO PARTS
- A TECHNICAL DATA PACKAGE IS AVAILABLE IN CASE OF A STEEP RISE IN WROUGHT TITANIUM BAR STOCK COSTS
- SCRAP WAS REDUCED BY 95 PERCENT OVER CONVENTIONAL METHODS



TYPICAL WOODPULP MICROPHOTOGRAPH (100X)

PROJECT NO: 5 77,78 4343

TITLE: IMPROVED NITROCELLULOSE PROCESS


CONTROLS

COST: \$315,300

**GOAL: UPDATE EXISTING PROCESS CONTROLS** 

- THE WOODPULP VARIABLES WHICH AFFECT THE CHARACTERISTICS OF THE NITROCELLULOSE WERE DETERMINED
- THE CONTINUOUS NITRATION PROCESS WAS EVALUATED
- ONO SIGNIFICANT DIFFERENCES IN THE FINAL NITROCELLULOSE RESULTED FROM THE USE OF DIFFERENT WOODPULPS

# DARCOM MMT ACCOMPLISHMENT ARMAMENT READINESS COMMAND



CONTROLLED COOLING BAY WITH UNIVERSAL STEAM THERMAL PANELS

PROJECT NO: 5 77 4362

TITLE: CONTINUOUS AUTOMATED POST CYCLIC


CONDITIONING FACILITY FOR LARGE CALIBER COMP B LOADED

PROJECTILES

COST: \$490,000

**GOAL: REDUCE MANUFACTURING COSTS** 

- THE IMPROVED PROCESS RESULTS IN 50% IN PROCESS TIME SAVINGS.
- THE CAST QUALITY WAS GREATLY IMPROVED.
- THE LAP COST WAS REDUCED BY ONE OPERATION AND BY ONE PERSON.



EXTRUDED COMPOSITION C-4 EXITING THE DIE HEAD

PROJECT NO: 5 78 4449

TITLE: PROCESS IMPROVEMENT FOR

**COMPOSITION C-4** 

COST: \$120,000

**GOAL: REDUCE THE COST OF PRODUCING** 

**COMPOSITION C-4** 

#### **RESULTS**

● NOMINAL CLASS 1/CLASS 5 RDX COULD BE USED IN LIEU OF A SPECIFIC GRANULATION CLASS 1/CLASS 5 RDX IN THE MANUFACTURE OF CLASS 3 COMPOSITION C-4.

- THE SPECIFICATION FOR COMPOSITION C-4 WAS AMENDED TO INCLUDE USE OF NOMINAL RDX.
- A COST SAVINGS OF \$55,000/YEAR (1981 DOLLARS) WAS REALIZED AT HOLSTON AAP.

PROJECT NO: 5 77,78,79 4462

TITLE: MODERNIZED FORCED AIR DRYER (FAD)

FOR MULTI-BASE PROPELLANTS

COST: \$1,297,000

GOAL: ESTABLISH PROTOTYPE AND DESIGN

CRITERIA FOR MODERNIZED FAD


#### **RESULTS**

• A SCRUBBING SYSTEM FOR REMOVAL OF NITROGLYCERIN AND SOLVENT VAPORS WAS COMPLETED.

A PROTOTYPE MODERNIZED FAD HOUSE WAS CONSTRUCTED.

● PROPELLANT DRYING MAY NOW BE DONE IN LARGER QUANTITITES AT A LOWER AIR FLOW RATE.

● PROJECT 5 80 4462 WILL DEBUG AND EVALUATE THE FINAL DESIGN.



MODERNIZED FAD PROCESS

PROJECT NO: 5 80 4462

TITLE: MODERNIZED FORCED AIR DRYING

(FAD) FOR MULTI-BASE PROPELLANTS

COST: \$908,600

**GOAL: INSTALL, DEBUG AND EVALUATE THE** 

MODERNIZED FORCED AIR DRYING

**SYSTEM** 

#### **RESULTS**

● THE ABILITY OF THE MODERNIZED FAD TO DRY MULTI-BASE PROPELLANTS WAS DEMONSTRATED

THE AMOUNT OF STEAM REQUIRED WAS REDUCED BY 59 PERCENT

● A 95 PERCENT REMOVAL EFFICIENCY FOR THE SOLVENT ABSORBER WAS ACHIEVED

● A 99 PERCENT REMOVAL EFFICIENCY FOR THE NITROGLYCERIN CAUSTIC SCRUBBER WAS ACHIEVED

HYDROX ARBON
ANALYTER
TO ATMOSPHERE
HOT WATER GLYCOX
BAY

THAUST ARB
HOT WATER GLYCOX

MODIFIED FORCED AIR
DRYING SYSTEM FLOW DIAGRAM


PROJECT NO: 5 78,79 4466

TITLE: EVALUATION OF TNT, CYCLOTOL, OCTOL WITH ARRADCOM MELT-POUR FACILITY

COST: \$881,500

GOAL: APPLY MELT-POUR TECHNOLOGY TO ALTERNATE FILL EXPLOSIVES

- AN AUTOMATED THE MIXER SYSTEM WAS BUILT WHICH IS COMPATIBLE WITH THE CONTINUOUS MELT-POUR FACILITY.
- THE THE MIXER SYSTEM IS CAPABLE OF A SOLIDS-TO-LIQUID RATIO THE SLURRY OF 30%.
- THE THE MIXER SYSTEM ELIMINATED THE NEED FOR CAST PROBING.
- THE THE MIXER SYSTEM REDUCED THE SLURRY PREPARATION TIME.




TNT LIQUID/SOLIDS MIXER

MANUFACTURING METHODS AND TECHNOLOGY PROGRAM ACCOMPLISHMENTS TU) ARMY INDUSTRIAL BASE ENGINEERING ACTIVITY ROCK ISLAND IL OCT 83 2/2 UNCLASSIFIED F/G 13/8 NL 1 D U 1.3 7 7 ė. . 1 Ě 1 10 END 11.83

AD-A133 884

D: •



MICROCOPY RESOLUTION TEST CHART
NATIONAL BUREAU OF STANDARDS-1963-A

PROJECT NO: 5 78 4472

TITLE: DEVELOPMENT OF EQUIPMENT FOR

**AUTOMATIC/MECHANIZED FABRICATION OF** 

**CENTER CORE PROPELLANT BAGS** 

COST: \$208,100

**GOAL: IMPROVE MANUFACTURING PROCESS FOR** 

**CENTER CORE PROPELLANT BAGS** 


#### RESULTS

 A DETAILED AND THEORETICAL DESIGN ANALYSIS OF THE BODY AND LINER ASSEMBLY SYSTEM WAS CON-DUCTED.

THE NOVATRONICS APPROACH TO AXIALLY ALIGN AND CONCENTRICALLY LOAD BODY AND LINER ASSEMBLIES OVER END ASSEMBLIES WAS DEMONSTRATED.

 WEB HANDLING TECHNIQUES FOR THE ASSEMBLY SYSTEM WERE PROVEN FEASIBLE AND CONVERSION TO AN AUTOMATED OPERATION OFFERS A 98% ROI.

THE MECHANIZATION OF THE WEB, BODY AND LINER ASSEMBLY PROCESS OFFERS A ROI OF 54% UNDER PEACETIME PRODUCTION REQUIREMENTS.





**BODY AND LINER ASSEMBLY STATION** 

PROJECT NO: 5 78 4498

TITLE: AUTOMATED ASSEMBLY OF SMALL

**MINES** 

COST: \$325,000

**GOAL: REDUCE MANUFACTURING TIME AND** 


**DIRECT LABOR COSTS** 

#### **RESULTS**

 ENGINEERING ANALYSIS INDICATED THAT AUTOMATION OF SELECTED OPERATIONS WOULD BE MORE COST EFFECTIVE THAN A TOTALLY AUTOMATED PRODUCTION LINE.

● REQUIREMENTS WERE DETERMINED FOR ELEC-TRONIC LENS TESTER, AUTOMATED SOLDERING MACHINE, AND ASSEMBLY AID FIXTURES. PRO-TOTYPE EQUIPMENT WILL BE BUILT AND DEMONSTRATED THROUGH FOLLOW-ON MMT PROJECTS.

WHEN IMPLEMENTED, SAFETY WILL BE IM-PROVED FOR EXPLOSIVE LOADING AND SAFETY AND ARMING ASSEMBLY SOLDERING.



**ELECTRICAL TESTER FOR MUNITIONS SYSTEMS** 



AUTOMATED ELECTRO-OPTICAL
ARTILLERY METAL PARTS
INTERNAL CAVITY INSPECTION SYSTEM

PROJECT NO: 5 76 6599

TITLE: ELECTRO-OPTICAL INSPECTION OF ARTILLERY PROJECTILE CAVITIES

COST: \$198,000

GOAL: IMPROVE ARTILLERY METAL PARTS INTERNAL CAVITY INSPECTION

- THIS PROJECT PRODUCED AN AUTOMATED ELECTRO-OPTICAL ARTILLERY METAL PARTS INTERNAL CAVITY INSPECTION SYSTEM.
- THE SYSTEM SCANS THE FIBER OPTIC IL-LUMINATED ARTILLERY METAL PART CAVITY WITH A TV CAMERA. LIGHT CONTRAST CHANGES ARE DETECTED AND COMPUTER ANALYZED, AND THE PART IS EITHER ACCEPTED OR REJECTED.
- ONCE THIS SYSTEM IS IMPLEMENTED, THE INSPECTION RELIABILITY IS ANTICIPATED TO INCREASE FROM 80% TO 95%.

PROJECT NO: 5 76, 78, 79, 80 6736

TITLE: TECHNICAL READINESS ACCELERATION THRU COMPUTER INTEGRATED MANUFACTURE

COST: \$907,000

GOAL: IMPROVE LEAD TIMES AND REDUCE COST BY USE OF MANUFACTURING DATA BASE

#### **RESULTS**

- AN ARCHITECTURE OF MANUFACTURING FOR 2
  CONVENTIONAL AMMUNITION ITEMS WAS
  ESTABLISHED
- A DATA BASE MANAGEMENT SYSTEM WAS ESTABLISHED AND COMPUTER INPUT REQUIREMENTS FOR MANUFACTURING OPERATIONS WERE DETERMINED. THE CAPABILITY OF THE MODULAR DESIGNED COMPUTER SYSTEM WAS DEMONSTRATED.
- WHEN IMPLEMENTED UNDER ARROOM CAD/CAM SYSTEMS PROCUREMENT PROGRAMS, READINESS WILL BE ENHANCED THROUGH THE ABRITY TO RAPIDLY RETRIEVE AND USE PRODUCTION INFORMATION.

MATA BASE

GUART DECIMAL

GLAPHICS

PROPER

OF PROPER

MINI-COMPUTER SYSTEM CAPABLE OF HANDLING THE TRACIM DATA BASE, GRAPHICS AND NUMERICAL CONTROL PART PROGRAMMING

PROJECT NO: 5 79 6736-02


TITLE: DATA ACQUISITION FEASIBILITY STUDY

COST: \$166,000

**GOAL: UTILIZE MANUFACTURING CONTROL** 

SYSTEM TO REDUCE COSTS

- PROTOTYPE MANUFACTURING CONTROL SYSTEM UTILIZING DATA ACQUISITION TECHNIQUES WAS EVALUATED.
- DATA WAS ANALYZED FOR DOWNTIME, REJECT TRENDS, DAILY PRODUCTION RATES, AND MACHINE UTILIZATION.
- RECOMMENDATIONS WERE FORMULATED FOR THE IMPLEMENTATION OF A MANUFACTURING CONTROL SYSTEM AND RELATIONAL DATA BASE MANAGEMENT SYSTEM.
- POTENTIAL COST SAVINGS OF 20% REDUCTION IN MANUFACTURING COSTS WERE IDENTIFIED.



MANUFACTURING CONTROL SYSTEM INFORMATION FLOW

PROJECT NO: 5 80 6736-03

TITLE: INITIAL GRAPHICS EXCHANGE SPECIFICATION

COST: \$50,000

GOAL: FACILITATE INFORMATION EXCHANGE BETWEEN DISSIMILAR CAD/CAM SYSTEMS

#### **RESULTS**

- THE ARMY, NAVY, AIR FORCE AND NASA ALL PROVIDED FUNDING TO SUPPORT IGES.
- DEMONSTRATIONS WITH AS MANY AS 5 VENDOR SYSTEMS ILLUSTRATED THE CAPABILITY OF THE IGES FORMAT TO SUCCESSFULLY EXCHANGE AND MODIFY DATA AMONG SYSTEMS.
- ANSI HAS APPROVED THE STANDARD AND IS PROMOTING ITS ADOPTION INTERNATIONALLY.

VENORA IGES
FORMAT
FILE
DATA BASE

INFORMATION FLOW

98

### DARCOM MMT ACCOMPLISHMENT ARMAMENT MATERIAL READINESS COMMAND

PROJECT NO: 6 77,78 7649

TITLE: COMPUTERIZED POWDER METALLURGY

FORGING DESIGN

COST: \$202,000

GOAL: REDUCE COSTS FOR DESIGN OF POWDER

METAL PREFORMS


#### RESULTS

 A COMPUTER AIDED PREFORM DESIGN TECH-NIQUE HAS BEEN DEVELOPED AND APPLIED TO OBTAIN A PREFORM FOR A WEAPON COMPON-

ENT.


 THE TECHNIQUE WAS SUCCESSFULLY DEMON-STRATED BY FABRICATING COMPONENT PRE-FORMS AND FORGING DIES AND BY FORGING COMPONENTS AT A PRODUCTION FACILITY.

 THE TEST COMPONENTS SUCCESSFULLY MET THE QUALITY STANDARDS. TRW. BORG-WARNER AND OTHERS HAVE MADE USE OF THE DEVELOP-ED COMPUTER PROGRAM IN DESIGNING FORGING DIES FOR PM PARTS.



METAL FLOW DIRECTIONS IN THE DESIGNED PREFORM DURING FORGING

# DARCOM MMT ACCOMPLISHMENT ARMAMENT MATERIAL READINESS COMMAND



GROUP TECHNOLOGY MANUFACTURING PROCESS PLANNING

PROJECT NO: 6 79 7724

TITLE: GROUP TECHNOLOGY OF WEAPON SYSTEMS


COST: \$83,000

**GOAL: REDUCE COSTS THROUGH PART-FAMILY** 

MANUFACTURE

- THE FEASIBILITY OF APPLYING A CLASSIFICA-TION AND CODING/GROUP TECHNOLOGY SYSTEM AT WATERVLIET ARSENAL WAS DEMONSTRATED.
   474 ROTATIONAL PARTS WERE CODED.
- WHEN THE TOTAL EFFORT IS COMPLETED AND IMPLEMENTED. IT IS ESTIMATED THAT
  - SET-UP TIME WILL BE DECREASED 20-35%
  - THROUGH PUT TIME WILL BE REDUCED 15-20%
  - COSTLY VARIATION IN PROCESS PLANS WILL BE ELIMINATED

# DARCOM MMT ACCOMPLISHMENT ARMAMENT RESEARCH AND DEVELOPMENT COMMAND



CROSS-SECTION OF RIFLING
CONFIGURATION IN COLD FORGED
106-MM RECOILLESS RIFLE

PROJECT NO: 6 77,78,79 7726

TITLE: APPLICATION OF COLD AND WARM

**ROTARY FORGING** 

COST: \$810,000

**GOAL: REDUCE MANUFACTURING COST** 

- THE CAPABILITY TO COLD FORGE THIN-WALLED RIFLED TUBES, SUCH AS THE 106-MM RECOILLESS RIFLE, WAS ESTABLISHED.
- THE MACHINING COST OF THE COLD FORGED 106-MM RECOILLESS RIFLE CAN BE REDUCED BY 34 PERCENT USING THIS METHOD.
- THE FEASIBILITY OF COLD FORGING THE 105-MM M68 TUBE TO THE PRE-AUTO-FRETTAGED CONFIGURATION WAS DEMONSTRATED.

# DARCOM MMT ACCOMPLISHMENT ARMAMENT RESEARCH AND DEVELOPMENT COMMAND



TITLE: LEAK DETECTION TECHNIQUES FOR SMALL SEALED FIRE CONTROL

**ASSEMBLIES** 

COST: \$86,000

**GOAL: IDENTIFY MORE ACCURATE AND LESS** 


**COSTLY LEAK DETECTION TECHNIQUES** 

## **RESULTS**

● THE PROJECT DEMONSTRATED APPLICABILITY OF MASS SPECTROMETER PROBE TEST, MASS SPECTROMETER VACUUM TEST, AND ACOUSTIC LEAK DETECTION SYSTEMS.


● A COMBINATION OF INSPECTION TECHNIQUES RESULTED WHICH ALLOWS FOR FASTER AND MORE SENSITIVE LEAK DETECTION MEASUREMENTS.

 ALTERNATIVE METHODS FOR LEAK LOCATION AND SIZE WERE ESTABLISHED.



**VEHICLE FIRE CONTROL** 

# DARCOM MMT ACCOMPLISHMENT ARMAMENT MATERIEL READINESS COMMAND



**MACHINED BREECH BLOCK** 

PROJECT NO: 6 80 7926

TITLE: HOT ISOSTATIC PRESSING (HIP) OF LARGE ORDNANCE COMPONENTS

COST: \$216,000

**GOAL: REDUCE MANUFACTURING COSTS** 

- THIS EFFORT ACHIEVED BREECH BLOCK PREFORMS IN NEAR-NET SHAPE CONFIGURATIONS BY HIP.
- HIP IS CAPABLE OF FULLY DENSIFYING ALLOY STEEL POWDER TO SATISFACTORY LEVELS OF STRENGTH AND TOUGHNESS.
- COMPLETION AND IMPLEMENTATION OF THIS EFFORT WILL RESULT IN AN ESTIMATED SAVINGS OF \$432 PER LARGE BREECH BLOCK.

# DARCOM MMT ACCOMPLISHMENT ARMAMENT MATERIAL READINESS COMMAND


PROJECT NO: 6 77,78 7943

TITLE: ANALYSIS FOR MODERNIZATION OF INDUSTRIAL OPERATIONS

COST: \$1,020,000

GOAL: ESTABLISH MODERNIZATION MASTER PLAN

- A MASTER PLAN FOR TECHNOLOGY UPGRADE AND MODERNIZATION OF ROCK ISLAND ARSENAL WAS DEVELOPED.
- THE PLAN RESULTED IN RECOMMENDATIONS ON PROCESS IMPROVEMENTS, SAFETY AND POLLU-TION CONTROLS, MATERIAL HANDLING, ENERGY USE, PLANT REARRANGEMENT AND FACILITY IMPROVEMENTS.
- IMPLEMENTATION OF THE MASTER PLAN IS ESTIMATED TO RESULT IN COST SAVINGS OF \$18 MILLION PER YEAR.



TYPICAL PROCESS FLOW

# DARCOM MMT ACCOMPLISHMENT ARMAMENT MATERIAL READINESS COMMAND

• Formation of groups of parts (part families) and machine groups

Quick retrieval of designs, drawings, and production plans

Design rationalization and reduction of design costs

Reliable workpiece statistics

 Accurate estimation of machine tool requirements, rationalized machine loading, and optimized capital expenditure

 Rationalization of tooling setup and reduction of setup time and overall production time

 Rationalization and improvement of tool design and reduction of tool design and fabrication times and costs

Rationalization of production planning procedures and scheduling

Accurate cost accounting and cost estimation

Better utilization of machine tools, workholding devices, and manpower

 Improvement in numerical control (NC) programming and effective uses of NC machines,

GROUP TECHNOLOGY BENEFITS

PROJECT NO: 6 79 7949

TITLE: APPLICATION OF GROUP TECHNOLOGY AT

ROCK ISLAND ARSENAL

COST: \$123.000

**GOAL: REDUCE MANUFACTURING COSTS AND LEAD** 

TIMES

- A CLASSIFICATION AND CODING/GROUP TECHNOLOGY SYSTEM WAS INSTALLED AND DE-BUGGED. 76% OF THE MAJOR PARTS AT RIA WERE CODED.
- INTER-DEPARTMENT PART MOVEMENT HAS BEEN REDUCED 20%.
- ONCE FULLY IMPLEMENTED, ADDITIONAL PRO-DUCTIVITY GAINS WILL RESULT FROM:
  - STANDARD PROCESS PLANS.
  - REDUCED SET-UP.
  - DECREASED MATERIAL HANDLING.
  - IMPROVED SCHEDULING.

# DARCOM MMT ACCOMPLISHMENT ARMAMENT RESEARCH AND DEVELOPMENT COMMAND

PLATING
CELL

PLATING
CELL

PLATING
CELL

WATER
PLAMP
PUMP
COLLECTOR

FLOW
COLLECTOR

CO

DIAGRAM OF THE ELECTROLYTE FLOW SYSTEM

PROJECT NO: 6 81 8001

TITLE: RAPID FLOW PLATING OF SMALL CALIBER GUN TUBES

COST: \$132,000

**GOAL: REDUCE MANUFACTURING COST** 

- SMOOTH, ADHERENT CHROMIUM WAS ELECTROPLATED INSIDE THE BORE OF 50-CALIBER GUN TUBES
- A DEPOSITION RATE 15 TIMES FASTER THAN CONVENTIONAL PLATING WAS DEMONSTRATED
- CHROMIUM WAS DEPOSITED UNIFORMLY AT A RATE EXCEEDING 0.015 INCH PER HOUR PER GUN TUBE

# DARCOM MMT ACCOMPLISHMENT ARMAMENT RESEARCH AND DEVELOPMENT COMMAND

PORE CELL WALL PRINTED LITTLE

**DEPICTION OF CO-DEPOSITION** 

PROJECT NO: 6 79,80 8004

TITLE: CO-DEPOSITION OF SOLID LUBRICANTS

**DURING ANODIZING** 

COST: \$241,000

GOAL: REDUCE COSTS BY SALVAGING WORN

**COMPONENTS AND EXTENDING THE** 

SERVICE LIFE

- ANODIZED COATING WITH MoS₂ REDUCES GALLING, SEIZING, AND WEAR; AND IMPROVES CORROSION RESISTANCE.
- SERVICE LIFE IS EXTENDED RESULTING IN COST SAVINGS.
- MIL-A-8626, TYPE III WAS REVISED WITH NEW SPECIFICATIONS.

# DARCOM MMT ACCOMPLISHMENT

## ARMAMENT RESEARCH AND DEVELOPMENT COMMAND

PROJECT NO: 6 79 8005

TITLE: ESTABLISHMENT OF THE MECHANICAL

**PLATING PROCESS** 

COST: \$150,000

**GOAL: REDUCE MANUFACTURING COSTS** 

### RESULTS

 THE MECHANICAL PLATING PROCESS WAS ESTABLISHED AS AN ALTERNATIVE TO THE ELECTROPLATING PROCESS.

● THE MECHANICAL PLATING PROCESS DOES NOT PRESENT HYDROGEN EMBRITTLEMENT AND POLLUTION PROBLEMS THAT ARE ASSOCIATED WITH ELECTROPLATING.


THE PROJECT VERIFIED THAT MECHANICAL PLATING COSTS ARE 25 PERCENT LOWER THAN ELECTROPLATING COSTS.

 MIL SPEC C-81562A WILL BE CHANGED BY THE NAVAL AIR ENGINEERING CENTER, LAKEHURST, NJ.



CROSS-SECTION OF BARREL TUMBLING FASTENERS

# DARCOM MMT ACCOMPLISHMENT ARMAMENT RESEARCH AND DEVELOPMENT COMMAND



TANK INTERIOR FOR ELECTROPLATING SOLUTION

PROJECT NO: 6 78,79 8017

TITLE: POLLUTION ABATEMENT PROGRAM

COST: \$143,000

GOAL: ELIMINATE CYANIDE-BASED PLATING

AND DERUS ING BATHS

- NON-CYANIDE BASED CHEMICALS TO REPLACE CYANIDE BASED ELECTROPL TING SOLUTIONS WERE EVALUATED
- CADMIUM AND COPPER CYANIDE BASED BATHS WERE ELIMINATED
- THE CYANIDE CONTENT OF THE PLATING FACILITY WASTE STREAMS WAS REDUCED

# DARCOM MMT ACCOMPLISHMENT

## ARMAMENT MATERIEL READINESS COMMAND

PROJECT NO: 6 78 8048

TITLE: IMPROVED INSPECTION TECHNIQUES

FOR INGOTS AND PREFORMS FOR

**ROTARY FORGING** 

COST: \$154,000

**GOAL: IMPROVE ROTARY FORGE PREFORMS** 


INSPECTION

## **RESULTS**

● THIS PROJECT PRODUCED AN AUTOMATIC ULTRASONIC ROTARY FORGE PREFORMS INSPECTION SYSTEM.

THE SYSTEM UTILIZES AN ULTRASONIC PULSE-ECHO TECHNIQUE. THE ENERGY TRANSFER IS ACCOMPLISHED BY A COUPLANT-COLUMN DISPENSER/CHAMBER WHICH USES WATER AS THE SONIC TRANSFER MEDIUM.

ONCE THIS SYSTEM IS IMPLEMENTED, A 20-25 PERCENT REDUCTION IN INSPECTION TIME WITH A CORRESPONDING SAVINGS IS ANTICIPATED.



AUTOMATIC ULTRASONIC ROTARY FORGE PREFORMS INSPECTION SYSTEM CONCEPT

# DARCOM MMT ACCOMPLISHMENT ARMAMENT RESEARCH AND DEVELOPMENT COMMAND

PROJECT NO: 6 78 8049

TITLE: MANUFACTURING PROCESSES ENERGY

**CONSERVATION PROGRAM** 

COST: \$104,000

**GOAL: REDUCE ENERGY CONSUMPTION AT** 

**WATERVLIET ARSENAL** 

## RESULTS

● AN ENERGY ANALYSIS OF THE ROTARY FORGE FACILITIES USED IN THE MANUFACTURE OF GUN BARRELS WAS CONDUCTED.

THE ANALYSIS IDENTIFIED POTENTIAL ENERGY RECOVERY SOURCES FOR THE FURNACES AND THE HEAT TREAT LINE.

 POTENTIAL BENEFIT OF A 50% REDUCTION IN FUEL CONSUMPTION FOR THE HEAT TREAT OPERATION IS ESTIMATED.

Austenitizing Tempering 47%

Five - 98% (20%)

Five - 84% (40%)

Rolls - 18% (10%)

Work - 18% (8%)

Rediction - 10% (8%)

Rediction - 8% (2%)

**COMPOSITE ENERGY USE DISTRIBUTION** 

# DARCOM MMT ACCOMPLISHMENT ARMAMENT MATERIAL READINESS COMMAND

•

PRESENT METHOD OF HANDLING BREECH RINGS

PROJECT NO: 6 79 8104

TITLE: IMPROVED BREECH BLOCK MANUFACTURING

COST: \$40,000

GOAL: REDUCE BREECH BLOCK MANUFACTURING

COSTS

- A STUDY WAS COMPLETED WHICH RECOMMENDED FLEXIBLE MANUFACTURING SYSTEM TECHNOLOGY BE USED TO REPLACE THE CURRENT INEFFICIENT METHOD OF HANDLING AND MACHINING BREECH BLOCKS.
- A PRESOLICITATION CONFERENCE WAS HELD AND THE PURCHASE OF THE FMS, ESTABLISHED AT \$12-15 MILLION, IS UNDER NEGOTIATION.
- A PAYBACK OF 8 YEARS ON THE FMS IS ESTIMATED.

# DARCOM MMT ACCOMPLISHMENT ARMAMENT MATERIEL READINESS COMMAND

PROJECT NO: 6 81 8120

TITLE: ADAPTIVE CONTROL TECHNOLOGY

(CAM)

COST: \$60,000

**GOAL: EVALUATE A CYLINDRICAL GRINDING** 

**CONTROL PROCESS** 

## **RESULTS**

• A COLD GRINDING PROCESS KNOWN AS ENERGY ADAPTIVE GRINDING WAS EVALUATED.

● THIS PROCESS REDUCES THE GRINDING "ART" TO MORE OF A SCIENCE BY BRINGING THE IMPORTANT GRINDING PARAMETERS UNDER CONTROL.

● METAL REMOVAL RATE REDUCTION FROM 10-40 H.P./IN³ TO 3 H.P./IN³ WAS DEMONSTRATED. UPON IMPLEMENTATION AN ESTIMATED 3 HOURS PER TUBE CAN BE SAVED IN PROCESSING. ENERGY CONSUMPTION WILL ALSO BE REDUCED.

## CONVENTIONAL VERSUS COLD GRINDING PARAMETERS

Persmeters	<b>Grinding Method</b>	
	CNC Conventional	Cold Grinding
Wheel RPM	Fixed	Changing
Wheel Wear Rate	Uncontrolled	Controlled
Wheel Surface Velocity	Uncontrolled	Controlled
Feedrate	Variable	Changing
Work RPM	Variable	Changing
Work Surface Velocity	Uncontrolled	Controlled
Metal Removal Rate	Uncontrolled	Controlled
Power Used	Uncontrolled	Controlled
Grinding Heat	Uncontrolled	Controlled
Grinding Time	Uncontrolled	Controlled
Truing Roll RPM	Fixed	Changing
Truing Feed Rate	Variable	Changing
Relative Wheel Truing Velocity	Uncontrolled	Controlled

Legend FIXED (generally characteristic of machine) VARIABLE (but fixed during grinding) UNCONTROLLED (during grinding) CONTROLLED (continously during grinding) CHANGING (continously during grinding) controlled indirectly)

# DARCOM MMT ACCOMPLISHMENT ARMAMENT RESEARCH AND DEVELOPMENT COMMAND

PROJECT NO: 6 80 8209

TITLE: PILOT PRODUCTION OF GRADIENT

INDEX OPTICS

COST: \$213,000

**GOAL: DEVELOP LOW COST EYEPIECE USING** 

**GRADIENT INDEX LENSES** 

## RESULTS

● THE EYEPIECE FOR THE M1 TANK GUNNERS SIGHT HAS BEEN REDESIGNED USING 3 GRADI-ENT INDEX LENSES TO REPLACE THE CURRENT 6 LENS DESIGN. THE RAY TRACE ANALYSIS HAS

BEEN COMPLETED AND VERIFIED.

● EQUIPMENT FOR PURCHASE HAS BEEN SELECTED. MMT 6 81 8209 WILL CONTINUE THE EFFORT BY PROCESSING THE GLASS AND FABRICATING THE LENSES.

THE END BENEFITS UPON IMPLEMENTATION WILL BE A LOWER EYEPIECE COST, RUGGEDIZATION, SMALLER VOLUME AND LIGHTER WEIGHT.

552 Lok N21 Lok N21 n 05

GRADIENT INDEX LENS EYEPIECE DESIGN

SECTION III

IMPLEMENTED EFFORTS

# DARCOM MMT IMPLEMENTATION ELECTRONICS RESEARCH & DEVELOPMENT COMMAND



INTEGRATED CIRCUIT FABRICATION

EFFORT NO: H 5094

TITLE: 8K BIT BORAM

COST: \$80.000

GOAL: ESTABLISH PRODUCTION TECHNIQUES FOR

**8K BIT BORAM** 

### BENEFITS

- WESTINGHOUSE PRODUCTION ENGINEERED THE 8K BIT MEMORY FOR MILITARY APPLICATIONS.
- THE 8K NON-VOLATILE BORAM DEVICE IS NOW IN PRODUCTION AT WESTINGHOUSE FOR SEVERAL MILITARY SYSTEMS SUCH AS MIFASS.
- INTERNAL MARKETING BY WESTINGHOUSE AND DEVELOPMENT OF SECOND SOURCE EFFORTS IS UNDERWAY.
- IT IS ESTIMATED THAT AT MOB RATES, \$13 MILLION WILL BE SAVED OVER 5 YEARS.

# DARCOM MMT IMPLEMENTATION ELECTRONICS RESEARCH & DEVELOPMENT COMMAND

**EFFORT NO: 2 9751** 

TITLE: FABRICATION OF YAG LASER RODS

COST: \$142,000

**GOAL: REDUCE LASER ROD PROCESSING TIME AND** 


COST

### **BENEFITS**

 BATCH PROCESSING METHODS FOR GRINDING AND POLISHING ND: YAG LASER RODS WERE ESTABLISHED.

 ECONOMICAL MASS PRODUCTION OF 150 RODS/ MONTH WAS ESTABLISHED THROUGH THE DESIGN AND USE OF A 16 ROD POLISHING BLOCK.

 THESE BATCH PROCESSING METHODS ARE BEING USED FOR FABRICATING LASER RODS USED IN THE LASER RANGE FINDER. AT FYDP RATES, SAVINGS ARE ESTIMATED AT \$2.7 MILLION.



ND: YAG LASER ROD POLISHING BLOCKS

## **COMMUNICATIONS & ELECTRONICS COMMAND**

**EFFORT NO: 2 9778** 

TITLE: PRODUCTION OF LONG LIFE EMITTERS

FOR FIBER OPTICS

COST: \$466,000

**GOAL: OPTIMIZE PRODUCTION PROCESSES FOR** 

INJECTION LASER DIODES AND LIGHT


**EMITTING DIODES** 

### **BENEFITS**

 HIGH YIELD PRODUCTION PROCESSES HAVE BEEN DEVELOPED FOR GAALAS INJECTION LASERS AND LIGHT EMITTING DIODES (LED) WHICH OPERATE AT .82 MICRONS.

SELF-ALIGNING DIFFUSION MASKS, PREFEREN-TIAL ETCHING AND MIL PACKAGING WERE DEVELOPED. THE LED'S ARE BEING USED IN THE AN/TYC-39 AUTOMATIC MESSAGE SWITCH CENTRAL STORE AND FORWARD MODULE.

● THE LED UNIT COST WAS REDUCED \$500 AND A \$325K COST SAVINGS WAS REALIZED IN FY81-82 PRODUCTION.



FIBER COUPLED LED

# DARCOM MMT IMPLEMENTATION ELECTRONICS RESEARCH & DEVELOPMENT COMMAND




FIGURE 1 - TYPICAL METAL MASK PROCESSED WAFER



FIGURE 2 - MACHINED KOVAR PACKAGE CONTAINING DELAY LINE CHIP

**EFFORT NO: 2 9834** 

TITLE: SERIES TRANSDUCER DELAY LINES

COST: \$271,000

**GOAL: TO ESTABLISH A PRODUCTION** 


CAPABILITY

## **BENEFITS**

- LOW COST PRODUCTION TECHNIQUES WERE DETERMINED FOR FABRICATING MICROWAVE BATE GRATED CIRCUIT DELAY LINES AT A RATE GF 500 PER MONTH.
- PRODUCTION MAN-HOURS PER DELAY LINE WERE REDUCED FROM 10 TO 2.5. A METAL MASK DELINEATION PROCESS WAS INTRODUCED TO ELIMINATE WET PHOTO-PROCESSING. HAND TUNING WAS ELIMINATED.
- EFFORT RESULTED IN THE ESTABLISHMENT AND USE OF A COMPETITIVE SECOND SOURCE FOR DELAY LINES.

119

# **DARCOM MMT IMPLEMENTATION ELECTRONICS RESEARCH & DEVELOPMENT COMMAND**



ZINC SELENIDE INFRARED WINDOW

EFFORT NO: H 9841

TITLE: ZINC SELENIDE WINDOWS AND OPTICAL

**ELEMENTS** 

COST: \$156,000

**GOAL: REDUCE PRODUCTION COST OF ZINC** 

**SELENIDE WINDOWS BY AUTOMATION** 

### **BENEFITS**

• AUTOMATED LARGE BATCH PRODUCTION TECHNIQUES WERE DEVELOPED TO PRODUCE **INFRARED WINDOWS BY CHEMICAL VAPOR** DEPOSITION.

THE PRODUCTION RATE OF THE EQUIPMENT CAN REACH 800/MONTH WITH A YIELD OF 98%.

• DUE TO THIS PROJECT, UNIT COSTS WENT FROM \$600 TO \$275. TO DATE, A TOTAL SAVINGS OF \$646,000 HAS BEEN REALIZED. WITH ON-GOING PROCUREMENTS, SAVINGS OVER \$2 MILLION ARE ESTIMATED.

120



EFFORT NO: M 6350-1646 (ARRADCOM/CSL)

TITLE: DEVELOPMENT OF RELIABLE METHOD FOR EVALUATION OF AGENT PERMEATION

COST: \$54.000

**GOAL: AUTOMATE AGENT PERMEATION EVALUATION** 

#### BENEFITS

- AN AUTOMATED EVALUATION PROCEDURE TO QUANTITATIVELY DETERMINE THE CHEMICAL AGENT PENETRATION RESISTANCE OF BUTYL COATED CLOTH WAS DEVELOPED.
- THE MANUAL METHOD WHICH UTILIZED CONGO RED PAPER AND FRUIT FLIES WAS REPLACED.
- THIS PROCEDURE IMPROVED THE PRODUCT QUALITY AND RELIABILITY. THE FYDP COST SAVING IS ESTIMATED TO BE \$270,000.

# MATERIALS AND MECHANICS RESEARCH CENTER MATERIALS TESTING TECHNOLOGY (MTT) PROGRAM

EFFORT NO: M6350-1802 (ERADCOM/HDL)

TITLE: RANDOM TRANSPORTATION VIBRATION

(RTV) FUZE MECHANISM TESTING

COST: \$155,000

**GOAL: IMPROVE RTV FUZE MECHANISM TEST** 


**METHODS** 

### **BENEFITS**

 THIS EFFORT PRODUCED AN IMPROVED RTV FUZE MECHANISM TEST SYSTEM THAT REPLACED THE SINUSOIDAL METHOD.

● THE SYSTEM USES A COMPUTER TO TRANSMIT SIMULATED RANDOM VIBRATION WAVE FORMS TO A FUZE VIBRATION TABLE.

WITH THIS IMPROVED RTV TEST SYSTEM, THE FYDP SAVINGS FOR THE M732 FUZE ARE ANTICIPATED TO BE \$250,000. WITH MINOR MODIFICATIONS, THIS SYSTEM MAY BE USED TO TEST SIMILAR FUZES.



M732 FUZE

# MATERIALS AND MECHANICS RESEARCH CENTER MATERIALS TESTING TECHNOLOGY (MTT) PROGRAM

EFFORT NO: M 6350-2032

TITLE: INFRARED TEST FOR PRINTED CIRCUIT

**BOARDS (PCB)** 

COST: \$165,000

**GOAL: IMPROVE PCB TESTING** 

### **BENEFITS**

● THIS EFFORT RESULTED IN COMPUTER
METHODOLOGY AND RAPID SCAN TEST EQUIPMENT WHICH CAN ISOLATE PCB FLAWS THAT

WERE PREVIOUSLY UNDETECTABLE.


◆ THE SYSTEM WAS INSTALLED AT HUGHES AIR-CRAFT AND HAS SAVED \$120,000 BY MAKING UNNECESSARY A PROPOSED REDESIGN OF AMRAAM ELECTRONICS.

● SAVINGS OF \$10,000 PER DAY ARE AN-TICAPATED WHEN A MODIFICATION OF THIS EQUIPMENT IS INSTALLED FOR AIR FORCE DEPOT INSPECTION.



INFRARED SYSTEM FOR TESTING PRINTED WIRING BOARDS

# MATERIALS & MECHANICS RESEARCH CENTER MATERIALS TESTING TECHNOLOGY (MTT) PROGRAM



3-D VIBRATION TEST SYSTEM

EFFORT NO: M 6350-2225

TITLE: 3-D SHOCK/VIBRATION TEST FOR FUZES

COST: \$70,000

**GOAL: IMPROVE VIBRATION TEST SYSTEM** 

### **BENEFITS**

- A PRELIMINARY TDP FOR THE 3-D VIBRATION PROTOTYPE WAS ESTABLISHED. TDP FINALIZATION WILL OCCUR UNDER 5 79,80,81 3961.
- IN CONTRAST TO CONVENTIONAL SINGLE INPUT, UNIDIRECTIONAL TESTING, THIS SYSTEM PERMITS 3 SIMULTANEOUS INPUTS.
- WITH THE NEW TEST SYSTEM, FYDP SAVINGS ON THE PATRIOT, MLRS, AND M724/M732 WEAPONS FUZES ARE EXPECTED TO BE \$1,800,000.

# MATERIALS AND MECHANICS RESEARCH CENTER MATERIALS TESTING TECHNOLOGY (MTT) PROGRAM

SET BACK FORCE
THRUST

FUZE

SET FORWARD
FORCE
AIR DRAG

**SETBACK AND DRAG FORCES** 

EFFORT NO: M 6350-2227

TITLE: SETBACK-DRAG TESTER FOR S&A

**DEVICES** 

COST: \$86,000

**GOAL: REDUCE NEED FOR LIVE FIRING FUZE** 

**TESTS** 

## **BENEFITS**

THIS EFFORT PRODUCED A SIMULATION TESTING CAPABILITY FOR FUZE SAFETY AND ARMING DEVICES.

THIS TEST CAPABILITY, WHICH DID NOT PREVIOUSLY EXIST, ENHANCES FUZE/MISSILE RELIABILITY AND SAFETY.

THE TEST EQUIPMENT HAS BEEN INSTALLED AT BULOVA AND HAS RESULTED IN A FYOP SAVINGS OF \$2,000,000 ON THE VIPER. SIMILAR SYSTEMS WILL BE USED FOR TANK FUZES.

125



TRACK PIN AND BUSHING

EFFORT NO: M 6350-2233 (TACOM)

TITLE: TRACK BUSHING TEST MACHINE

COST: \$125,000

**GOAL: IMPROVE TRACK BUSHING TESTING** 

### BENEFITS

- THIS EFFORT PRODUCED TRACK BUSHING TEST-ING MACHINE WHICH REPLACED 1940 VINTAGE EQUIPMENT.
- TWO TRACK BUSHING TEST MACHINES ARE BEING USED AT TACOM FOR QUALIFICATION TESTING. IMPLEMENTATION PLANS ARE BEING FORMULATED FOR PRODUCTION TESTING.
- THIS EQUIPMENT HAS REDUCED THE QUALIFI-CATION TESTING TIME 87%. THE ANTICIPATED FYDP SAVINGS IS \$175,000.

**EFFORT NO: M 6350-2403 (TECOM)** 


TITLE: IMPROVED STANDARDIZED WEAPON CHAMBER PRESSURE

COST: \$100,000

GOAL: IMPROVE WEAPON CHAMBER PRESSURE MEASUREMENT

#### BENEFITS

- THIS EFFORT PRODUCED A STANDARDIZED WEAPON CHAMBER MEASUREMENT METHOD.
- THIS IMPROVED METHOD IS MORE ACCURATE. RELIABLE AND INSURES BOTH THE SAFETY AND COMBAT EFFECTIVENESS OF LARGE CALIBER WEAPONS.
- THE DATA RELIABILITY OF THE PREVIOUS METHOD OFTEN WAS CHALLENGED WHICH NECESSITATED RETESTING AT \$10,000 TO \$300,000 PER TEST. THE ELIMINATION OF RE-TESTING WILL HAVE A FYDP SAVINGS OF \$1,500,000 TO \$2,500,000.



EFFORT NO: M 6350-2426 (ERADCOM/NVL)

TITLE: CRYOGENIC COOLER HELIUM LEAK RATE

TEST SET

COST: \$120,000

GOAL: ESTABLISH CRYOGENIC COOLER HELIUM

LEAK TEST CAPABILITY

#### **BENEFITS**

 THIS EFFORT PRODUCED A HELIUM LEAK TEST SET AND PROCEDURES FOR EVALUATING CRYOGENIC COOLER LEAK RATES.

• THE TEST SET WILL DETECT POROUS CASTINGS. LEAKY SEALS AND HELIUM CONTAINMENTS.

• THE RESULTS OF THIS EFFORT ARE BEING USED FOR THE HD-1033/UA CRYOGENIC COOLER PRODUCTION TESTING. THE ANTICIPATED FYDP SAVINGS IS \$3.150.000.



EFFORT NO: M 6350-2430 (MICOM)

TITLE: ACCEPTANCE TESTER FOR COMMON MODULE SCANNER PERFORMANCE

COST: \$100,000

GOAL: IMPROVE COMMON MODULE ACCEPTANCE

**TESTING** 

#### BENEFITS

 THE EFFORT PRODUCED A PRODUCTION PRO-TOTYPE SCAN MIRROR INTERFERENCE PATTERN ANALYZER (SMIPA) TEST SYSTEM FOR COMMON MODULE ACCEPTANCE TESTING.

 THE SMIPA TEST SYSTEM HAS THE CAPABILITY TO MEASURE DELETERIOUS FLAWS SUCH AS WARPAGE. THIS SYSTEM REPLACES COSTLY OPTICAL BENCH TESTING.

 ONE COMMON MODULE CONTRACTOR IS COM-MITTED TO IMPLEMENT SMIPA TEST SYSTEM.
 THE ANICIPATED FYDP SAVING IS \$750,000 PER CONTRACTOR.

THE ARMY'S COMMON MODULES



**COMMON MODULES** 

# MATERIALS AND MECHANICS RESEARCH CENTER MATERIALS TESTING TECHNOLOGY (MTT) PROGRAM

EFFORT NO: M 6350-2431 (NLABS)

TITLE: COMPUTERIZED COLOR-MATCHING

**SYSTEM** 

COST: \$606,000

**GOAL: IMPROVE MILITARY FABRIC INSPECTION** 

**METHOD** 

## **BENEFITS**

THIS EFFORT PRODUCED A COMPUTERIZED COLOR-MATCHING SYSTEM THAT WILL REPLACE THE CURRENT VISUAL METHOD USED TO DETERMINE ACCEPTABILITY OF MILITARY FABRIC COLORS AND SHADES.

THIS SYSTEM UTILIZES A SPECTROPHOTO-METRIC TECHNIQUE TO PERFORM THE COLOR EVALUATIONS. THE SYSTEM IS A STAND-ALONE UNIT WITH A MINI/MICRO PROCESSOR.

WITH THIS IMPROVED METHOD, THE FYDP SAVINGS ARE ANTICIPATED TO BE \$2,500,000.



**COMPUTERIZED COLOR-MATCHING SYSTEM** 

EFFORT NO: M 6350-2434 (ERADCOM/NVL)

TITLE: RAPID NDT FOR DETERMINING LASER DOPANT DENSITY AND DISTRIBUTION.

COST: \$90,000

GOAL: PRODUCE A LASER ROD INSPECTION

TECHNIQUE

### **BENEFITS**

 A METHOD WAS PRODUCED FOR DETERMINING NEODYMIUM DOPANT DENSITY AND DISTRIBUTION IN LASER RODS.

 THIS NEW METHOD ALLOWS LASER ROD TO BE EVALUATED PRIOR TO ASSEMBLING THE HAND HELD LASER RANGE FINDER AN/GVS-5.

 SINCE THE RESULTS OF THIS EFFORT WERE IMPLEMENTED, APPROXIMATELY \$200,000 SAVINGS HAS BEEN REALIZED. THE FYDP SAVINGS IS ANTICIPATED TO BE \$390,000.



LASER RANGE FINDER

# MATERIALS & MECHANICS RESEARCH CENTER MATERIALS TESTING TECHNOLOGY (MTT) PROGRAM

EFFORT NO: M 6350-2437

TITLE: ACOUSTIC MEASUREMENTS FOR ELEC-

TROMAGNETIC COMPONENTS

COST: \$120,000

**GOAL: IMPROVE RELIABILITY OF PHASE** 


SHIFTERS

## **BENEFITS**

 AUTOMATED THICKNESS TESTING METHODS WERE DEVELOPED FOR TOROIDS USED IN PATRIOT RADAR PHASE SHIFTERS.

THE IMPROVED RELIABILITY PREVENTS COSTLY ASSEMBLY OF BAD TOROIDS INTO THE PHASE SHIFTERS.

THE SYSTEM WAS INSTALLED AT A CONTRACTOR'S PLANT FOR INCOMING INSPECTION. FYDP SAVINGS OF \$605,000 ARE ANTICIPATED.



PATRIOT TOROID ULTRASONIC THICKNESS GAGING SYSTEM

# MATERIALS AND MECHANICS RESEARCH CENTER MATERIALS TESTING TECHNOLOGY (MTT) PROGRAM

**EFFORT NO: M 6350-2440 (MICOM)** 

TITLE: GAS CHROMATOGRAPHY OF

**NITROCELLULOSE-BASE PROPELLANTS** 


COST: \$165,000

GOAL: IMPROVE NITROCELLULOSE-BASE PRO-

**PELLANTS EVALUATION** 

### **BENEFITS**

- A GAS CHROMATOGRAPHIC PRODUCTION TEST WAS PRODUCED BY THIS EFFORT.
- THIS TECHNIQUE HAS TRI-SERVICE GENERIC APPLICABILITY FOR ALL MISSILES WITH NITROCELLULOSE-BASE PROPELLANTS.
- THIS TECHNIQUE, WHICH REPLACES SOME 30 CONVENTIONAL METHODS, IS BEING USED FOR THE CHAPARRAL AND HELLFIRE MISSILE SYSTEMS. MIL-STD-286B IS BEING REVISED TO INCORPORATE THIS TECHNIQUE. THE ANTICIPATED FYDP COST SAVINGS IS \$1,500,000.



Gas chromatogram of a minimum signature propellar extract on an OV 225 glass column

Component	Symbol
Nitroglycerine	NG
1 2 4 Butanetriol trinitrate	BITN
N Nitrosa N methyl p nitroaniline	M MNA
2 Nitrodiphenvlemine	2 NOPA
N methyl p nitroeniline	MNA
4 Nitrodiphenylamine	4 NOPA

**GAS CHROMATOGRAM** 

EFFORT NO: M 6350-2447 (ARRADCOM/CSL)

TITLE: AEROSOL TEST APPARATUS FOR BIOLOGICAL

**DETECTION AND WARNING SYSTEM** 

COST: \$455,000

GOAL: IMPROVE BIOLOGICAL DETECTION AND WARN-

ING SYSTEM EVALUATION

### **BENEFITS**

 A PORTABLE PROTOTYPE AEROSOL TESTER FOR EVALUATING BIOLOGICAL DETECTION AND WARNING SYSTEMS WAS PRODUCED.

 ALSO, A STANDARDIZED REPRODUCIBLE BIO-LOGICAL AEROSOL CHALLENGE AGENT TEST WAS ESTABLISHED FOR EVALUATING BIO-ALARMS

• THIS EQUIPMENT HAS REDUCED THE TESTING TIME BY 83%. THE ANTICIPATED FYDP SAVING IS \$720,000.





EFFORT NO: M 6350-2455 (ARRCOM/WATERVLIET)

TITLE: DETERMINATION OF QUENCH CRACKS AFTER

HEAT TREATMENT


COST: \$125,000

GOAL: DEVELOP QUENCH CRACK INSPECTION

**TECHNIQUE** 

### **BENEFITS**

- THIS EFFORT PRODUCED AN ULTRASONIC TEST-ING TECHNIQUE FOR DETECTING GUN TUBE QUENCH CRACKS AFTER HEAT TREATMENT.
- THIS NEW METHOD HAS ALLOWED WATERVLIET TO DETECT CRACKS IMMEDIATELY AFTER QUENCHING WHICH HAS ELIMINATED UN-NECESSARY TEMPERING AND MACHINING OF GUN TUBE FORGING.
- THE FYDP SAVINGS FOR THE 105MM AND 155MM GUN TUBES IS ANTICIPATED TO BE \$843.000.



EFFORT NO: M 6350-2610 (ARRADCOM/CSL)

TITLE: IMPROVED METHOD FOR DETERMINATION OF PURITY OF DYES

COST: \$14,000

GOAL: IMPROVE DYE PURITY DETERMINATION

METHOD

## BENEFITS

- AN IMPROVED METHOD FOR DETERMINING PURITY OF SIGNAL SMOKE DYES WAS PRODUCED.
- THIS NEW AUTOMATED METHOD IS USED TO PRO-VIDE ANALYTICAL DYE PURITY REFERENCE STANDARDS. THIS METHOD HAS REDUCED HUMAN CONTACT WITH HAZARDOUS DYES AND HAS IMPROVED ACCURACY.
- THE ANTICIPATED FYDP COST SAVING IS \$115,000.

# DARCOM MMT IMPLEMENTATION MATERIALS AND MECHANICS RESEARCH CENTER MATERIALS TESTING TECHNOLOGY (MTT) PROGRAM


EFFORT NO: M 6350-2621 (ERADCOM/NVL)

TITLE: THERMOELECTRIC MATERIALS EVALUATION

COST: \$95.000

GOAL: IMPROVE THERMOELECTRIC MATERIALS EVALUATION

- THIS EFFORT DEVELOPED A COMPUTERIZED THERMOELECTRIC MATERIALS MEASUREMENT SYSTEM.
- THE SYSTEM HAS CAPABILITY TO EVALUATE AC/DC RESISTIVITY. THERMAL CONDUCTIVITY AND SEEBECK COEFFICIENT OF THERMO-ELECTRIC COOLER MATERIAL.
- THE RESULTS OF THIS EFFORT ARE BEING USED TO EVALUATE THERMOELECTRIC MATERIALS FOR PREPRODUCTION PROTOTYPE THERMAL WEAPON SIGHTS. ONCE PRODUCTION COM-MENCES, A FYDP SAVINGS OF \$1,725,000 IS ANTICIPATED.



### DARCOM MMT IMPLEMENTATION MATERIALS AND MECHANICS RESEARCH CENTER MATERIALS TESTING TECHNOLOGY (MTT) PROGRAM

EFFORT NO: M 6350-2825 (MICOM)

TITLE: MISSILE PROPELLANT BALLISTIC MODIFIERS

IMPROVED TEST METHOD

MK 66 MOD 1 2.75 INCH **ROCKET MOTOR** 

1 05 SECONOS DURN TIME 440 METERS RANGE 740 METERS PER SECONO



9 FLUTES FOR TORQUE

COST: \$70.000

**GOAL: IMPROVE PROPELLANT BALLISTIC MODIFIER** 

**TEST METHOD** 

- IMPROVED GC, UV, AA, DTA, TGA, AND X-RAY DIFFRACTION METHODS WERE DEVELOPED FOR TESTING PROPELLANT BALLISTIC MODIFIERS.
- THESE METHODS WILL DETERMINE THE RATIO OF ACIDS IN A PARTICULAR BALLISTIC MODIFIER.
- BALLISTIC MODIFIER SPECIFICATIONS ARE BEING PREPARED INCORPORATING THESE TEST METHODS FOR THE 2.75 INCH ROCKET AND DRAGON BALLISTIC MODIFIERS. THE FYDP SAVINGS ARE ESTIMATED TO BE \$3,315,000.

### **DARCOM MMT IMPLEMENTATION**

### MISSILE COMMAND

EFFORT NO: R 3116

TITLE: ROSETTE AIR DEFENSE SEEKER OPTICS

AND DETECTORS

COST: \$1,154,000

**GOAL: IMPROVE PRODUCTION METHODS FOR** 


AIR DEFENSE SEEKER

### **BENEFITS**

 IMPROVED PRODUCTION METHODS FOR THE STINGER-POST MISSILE SEEKER HAVE BEEN ESTABLISHED. IMPLEMENTATION OF 9 OF THE METHODS IS TAKING PLACE THROUGH THE TDP FOR THE MISSILE.

● COST REDUCTION, LEAD TIME REDUCTION, AND IMPROVED MATERIEL WILL RESULT FROM THIS EFFORT.

● AN ESTIMATED MOBILIZATION SAVINGS OF \$9.5 MILLION WILL ACCRUE FROM THIS IMPLEMENTATION.



STINGER-POST SEEKER HEAD

### DARCOM MMT IMPLEMENTATION

MISSILE COMMAND

EFFORT NO: R 3140

TITLE: IMPROVED MANUFACTURING PRO-

**CESSES FOR SILICON VIDICONS** 

COST: \$624,000

**GOAL: DEVELOP MANUFACTURING PROCESSES** 


**FOR SILICON VIDICONS** 

### BENEFITS

 MANUFACTURING TECHNIQUES TO PRODUCE A RUGGEDIZED, HIGH PERFORMANCE SILICON TARGET VIDICON WERE DEVELOPED.

THE YIELD WAS INCREASED TO 52 PERCENT AT THE END OF THE 40 TUBE PRODUCTION RUN. THE DARK CURRENT AND SUSCEPTIBILITY TO "BLOOMING" HAVE BEEN REDUCED.

● THE TUBE COST WAS REDUCED FROM \$5000 TO \$625 IN QUANTITIES OF 2,500. TUBES WERE USED ON RUGGEDIZED INSTRUMENTATION FOR M1 TANK TESTING.



**SILICON VIDICON CAMERA TUBE** 

### DARCOM MMT IMPLEMENTATION MISSILE COMMAND

EFFORT NO: R 3167

TITLE: CRACK FREE PLATED-THROUGH-HOLES

(PTH) IN PRINTED CIRCUIT BOARDS

COST: \$223,000

GOAL: ELIMINATE PLATED-THROUGH-HOLE

**CRACKING IN CIRCUIT BOARDS** 

### **BENEFITS**

● PROCESSES, CONTROLS AND EQUIPMENT NEEDED TO INSURE CRACK FREE PTH'S WERE DETERMINED.

THE OPTIMUM COMBINATION INCLUDED A POLYIMIDE-GLASS BOARD PLATED IN EITHER A SEL-REX ACID SULFATE OR AN M&T PYROPHOSPHATE COPPER PLATING BATH.

 HUGHES HAS IMPLEMENTED THE TECHNOLOGY IN BOARD PRODUCTION. BELL, LOCKHEED, AND MOTOROLA ARE ALSO USING THE TECHNOLOGY.

 ONE FIRM HAS ESTIMATED A \$36K/YR SAVINGS ON BATH OPERATIONS. OTHER SAVINGS WILL RESULT FROM THE OTHER IMPLEMENTATIONS.




FIGURE 1 - MULTILAYER BOARD FABRICATION

# DARCOM MMT IMPLEMENTATION MISSILE COMMAND




FIGURE 1 - SUNDSTRAND QA 2000 QUARTZ FLEXURE ACCELEROMETER

EFFORT NO: R 3183

TITLE: INERTIAL QUARTZ FLEXURE

**ACCELEROMETER** 

COST: \$345,000

**GOAL: INCREASE YIELDS AND REDUCE** 

**MANUFACTURING COSTS** 

### **BENEFITS**

- A NEW TOOLING AND VACUUM DEPOSITION SYSTEM COMBINATION WAS DEVELOPED WHICH INCREASED CAPACITIES FOR METALIZING PROOF MASS QUARTZ SURFACES.
- CHROME/GOLD DEPOSITION PROCESS WAS IMPROVED BY ENHANCED QUARTZ CLEANING.
- ACCELEROMETER IS USED IN ASSAULT BREAKER T-22 PROGRAM AND HAS APPLICATION FOR THE LANCE, SIG-D, NAVY HARPOON MISSILE AND BOEING 767 AIRCRAFT.
- ESTIMATED FYDP SAVINGS RESULTING FROM THIS WORK TOTAL \$40 MILLION.

### DARCOM MMT IMPLEMENTATION MISSILE COMMAND

**EFFORT NO: 3 3227** 

TITLE: HYBRID CHIP HANDLING VIA TAPE CARRIER

LEAD FRAME

COST: \$573,000

GOAL: DECREASE PRODUCTION COSTS FOR HAND-

LING HYBRID CHIPS

### **BENEFITS**

 HONEYWELL AVIONICS ESTABLISHED METHODS FOR BONDING SEMICONDUCTOR CHIPS TO TAPE CARRIERS. FOR TESTING CHIP CARRIERS, AND FOR BONDING CHIPS TO HYBRID CIRCUIT SUB-STRATES.

• EQUIPMENT DEVELOPED IN THE PROGRAM INCLUDED

- CONTINUOUS TAPE PLATER
- INNER AND OUTER LEAD BONDERS
- LEAD FRAME CUTTING MACHINE
- AUTOMATIC TEST HANDLER
- HONEYWELL HAS INCORPORATED THIS TECHNOLOGY INTO THEIR PRODUCTION. YIELDS WERE ESTIMATED TO IMPROVE 40%.

**OUTER LEAD BONDER** 

### DARCOM MMT IMPLEMENTATION

MISSILE COMMAND

EFFORT NO: R 3272

TITLE: FLEXIBLE PRINTED CIRCUITS WITH INTEGRAL MOLDED CONNECTORS

(FLEXICON)

COST: \$217,000

**GOAL: REDUCE MANUFACTURING COSTS** 

### **BENEFITS**

 HIGH SPEED LASER ABLATION, LASER WELDING, AND LIQUID INJECTION MOLDING WERE ESTABLISHED FOR TERMINATING FLEXIBLE PRINTED WIRING TO CONNECTORS.

● FLEXIBLE PRINTED WIRING SAVES 80% OF THE WEIGHT, 20% OF THE VOLUME AND 30% TO 50% OF THE COST OF INTERCONNECTION IN MILITARY ASSEMBLIES.

● TECHNIQUES WERE IMPLEMENTED IN AN/ALQ-131(V) AND E3A-AWACS RADAR. F16 RADAR AND AQUILA ARE TWO OTHER APPLICATIONS.

● TOTAL SAVINGS PROJECTED OVER 10 YEARS IS LESTIMATED AT #5.9 MILLION.




FIGURE 1 - MOLDED FLEXICON ASSEMBLIES FOR TWO CONNECTOR FAMILIES

### DARCOM MMT IMPLEMENTATION

### **MISSILE COMMAND**

EFFORT NO: R 3372

TITLE: MANUFACTURING METHODS FOR

**MAGNETIC COMPONENTS** 

COST: \$1,200,000

**GOAL: REDUCED COST AND INCREASED** 

**RELIABILITY** 

### **BENEFITS**


 MAGNETIC COMPONENT MANUFACTURING PRO-CESSES WERE INVESTIGATED FOR IMPROVE-MENTS. THE MOST SIGNIFICANT CHANGES WERE:


 REPLACING THE MYLAR TACKING TAPE WITH A QUICK SETTING ADHESIVE.

- IMPROVING THE BANDING DESIGN TO REPLACE THE CLIP AND SOLDERING OPERATIONS.

- IMPROVING THE BOBBIN DESIGN TO REDUCE VOLTAGE GRADIENTS.

THESE TECHNIQUES ARE BEING IMPLEMENTED AT HUGHES AIRCRAFT WITH OTHER COMPANIES SHOWING AN INTEREST. SAVINGS ARE ESTIMATED AT \$2 MILLION/YEAR.





**SLUG PLACEMENT MACHINE** 

**EFFORT NO: 5 1316** 


TITLE: ADVANCED TECHNOLOGY FOR

PROCESSING SMOKE GRENADES

COST: \$500,000

**GOAL: REDUCE COST AND HEALTH HAZARDS** 

- A SIMPLIFIED PRODUCTION SYSTEM THAT REDUCES THE NUMBER OF OPERATORS FROM 45 TO 18 WAS DEVELOPED.
- THE NEED FOR REAMING PRESSED GRENADES WAS ELIMINATED.
- THE NEW PROCESS IS SAFE, EFFICIENT AND ENVIRONMENTALLY ACCEPTABLE.
- IMPLEMENTATION OF THIS EFFORT AT PINE BLUFF ARSENAL WILL RESULT IN AN ESTIMATED 10 YEAR SAVINGS OF \$4.2 MILLION.



WP VOLUMETRIC FILLING SYSTEM

PROJECT NO: 5 1320


TITLE: PILOT STATIONS FOR FILLING AND CLOSING WHITE PHOSPHORUS (WP)

**MUNITIONS** 

COST: \$749,000

GOAL: ESTABLISH AN INITIAL PRODUCTION CAPABILITY FOR WP MUNITIONS

- EQUIPMENT WAS ASSEMBLED FOR THE FILLING, CLOSING, LOADING, AND PACKING OF THE M259 2.75 INCH WP ROCKET.
- THE EXISTING WP DRY FILL LINE AT PINE BLUFF ARSENAL (PBA) WAS MODIFIED AND NEW EQUIPMENT INSTALLED.
- APPROXIMATELY 30,000 ROCKETS WERE SUCCESSFULLY PRODUCED AT PBA.



COPPER AMPULE

**EFFORT NO: 5 3104** 

TITLE: COPPER AMPULES FOR FUZE POWER


SUPPLIES

COST: \$350.000

**GOAL: IMPROVE MANUFACTURING TECHNIQUES** 

FOR COPPER AMPULES

- PRODUCTION PROCESSES WERE ESTABLISHED AND EQUIPMENT WAS DEVELOPED FOR FABRICATING COPPER AMPULES. TIG WELDING WAS ESTABLISHED FOR THE THIN COPPER PARTS.
- THIS SUCCESSFUL MMT WORK RESULTED IN AN IPF WITH UNION CARBIDE WHERE ASSEMBLY EQUIPMENT FOR COPPER AMPULES WAS FABRICATED.
- TO DATE. THIS EQUIPMENT HAS BEEN USED TO PRODUCE OVER 3 MILLION AMPULES.



PROPELLING CHARGES

**EFFORT NO: 5 4041** 

TITLE: AUTOMATED EQUIPMENT FOR MORTAR

COMPONENTS

COST: \$2,845,000

**GOAL: REDUCE COSTS TO LOAD, ASSEMBLE** 

AND INSPECT MORTAR PROPELLING

CHARGES

### BENEFITS

● A NON-SYNCHRONOUS PRODUCTION SYSTEM FOR LOADING, ASSEMBLING AND INSPECTING 61MM AND 81MM PROPELLING CHARGES WAS DEVELOPED.

■ RAPID START-UP, EASE OF TOOL CHANGE AND FLEXIBILITY OF TOOLING WERE DESIGN GOALS.

● A PRODUCTION RATE OF 108 INCREMENTS PER MINUTE CAN NOW BE ACHIEVED.

● IMPLEMENTATION OF THIS SYSTEM AT MILAN AAP IS EXPECTED TO RESULT IN A TEN YEAR SAVINGS OF \$5.2 MILLION.

**EFFORT NO: 5 4147** 

TITLE: COMPUTER CONTROL APPLICATION TO

**CONTINUOUS THT MANUFACTURE** 

COST: \$2,120,000

GOAL: IMPROVE SAFETY AND EFFICIENCY OF


**CONTINUOUS THT PROCESS** 

### **BENEFITS**

 A PROTOTYPE COMPUTER CONTROLLED SYSTEM INSTALLED AT VOLUNTEER AAP DEMON-STRATED THE DESIREABILITY OF AUTOMATED CONTROL AND OPERATION OF THT LINES.

 PRODUCTION RATES WERE INCREASED 16% WITH FEWER OPERATORS.

 AN ELECTRONIC ANALOG CONTROL SYSTEM WAS SUBSEQUENTLY INSTALLED ON A THT LINE AT RADFORD AAP. MOBILIZATION SAVINGS FROM THIS MMT ARE ESTIMATED AT \$2.5 MILLION PER YEAR.



THE ANALOG ELECTRONIC COMPONENTS AND AUTOMATIC EQUIPMENT

PROJECT NO: 5 4163

TITLE: CONTROLLED PRODUCTION LOADING

SYSTEM FOR 105MM HEAT-T M456A1

COST: \$491,000

**GOAL: MINIMIZE DEFECTS AND REDUCE** 

**REJECTS IN CAST LOADING** 


### **BENIFITS**

● A PROTOTYPE LINE FOR LOADING 105MM HEAT-T M456 A1/A2 AT MILAN AAP WAS INSTALLED AND PROVEN OUT IN 1980.

 A REDUCTION OF NONWET CAVITIES IN THE C-SEGMENT OF THE PROJECTILE WAS OBTAINED.

● A 95%ACCEPTANCE LEVEL FOR PROJECTILES WAS ACHIEVED.

SAVINGS OF \$5M/YR BASED ON A 100K ROUNDS/YR PRODUCTION RATE HAVE BEEN VALIDATED.



SCHEMATIC OF MILAN AAP PRODUCTION LINE

**EFFORT NO: 5 4215** 

TITLE: AUTOMATING THE CONTINUOUS TNT

**PRODUCTION FACILITY PROCESS** 

**CONTROLS** 

COST: \$607,000

GOAL: IMPROVE PROCESS CONTROL


### **BENEFITS**

- A NUCLEAR DENSITY GAUGE WAS SELECTED TO MEASURE AND CONTROL MASS FLOW RATES.
- MAGNETIC FLOWMETERS WERE CONFIRMED TO BE BEST FOR MEASURING STREAM FLOW RATES.
- SAFETY WAS IMPROVED BY REDUCING PERSONNEL EXPOSURE TO HAZARDOUS OPERATIONS.
- THE IMPROVED PROCESS CONTROL REDUCED SAMPLING AND TESTING TIMES.
- THE PROJECT RESULTS HAVE BEEN IM-PLEMENTED IN FACILITY PROJECT 5 76 5901.

2 management of the contract o

THT NITRATION FLOW SCHEME

Net heat escaping from stack and doors



HEAT BALANCE FOR ROTARY HEARTH FURNACE


PROJECT NO: 5 4281-B02

TITLE: REDUCED FORGING TEMPERATURE

COST: \$163,000

**GOAL: ENERGY CONSERVATION** 

- ELECTRICITY CONSUMPTION FOR THE FURNACE WAS DECREASED BY 30%.
- NATURAL GAS CONSUMPTION FOR THE FURNACE WAS DECREASED BY 26%.
- BASED ON A PRODUCTION RATE OF 50,000 PROJECTILES PER MONTH, A SAVINGS OF OVER \$100,000 PER YEAR IS PROJECTED AT SCRANTON AAP.



**EFFORT NO: 5 77 6200** 

TITLE: SMALL CALIBER AMMUNITION PROCESS IMPROVEMENT PROGRAM

COST: \$1,259,000

**GOAL: REDUCE COST AND IMPROVE QUALITY** 

- A MODERN MULTI-TOOLED PRESS FOR PRODUC-ING 5.56MM CARTRIDGE CUPS WAS DESIGNED, TESTED, AND A TECH DATA PACKAGE WRITTEN.
- THE PRESS OPERATES AT A RATE OF 1300 CUPS PER MINUTE AND PRODUCES A HIGH QUALITY CUP.
- THREE MACHINES WERE PURCHASED (FACILITIES PROJECT 5 79 3002) AND ONE EACH WAS INSTALLED AT ANACONDA, OLIN. AND REVERE.

**EFFORT NO: 5 6682** 

TITLE: SIMULATION OF AMMUNITION PRODUCTION

LINES

COST: \$170.000

GOAL: DEVELOP COMPUTER MODELS TO OPTIMIZE


**EQUIPMENT DESIGN** 

### BENEFITS

 SOFTWARE WAS DEVELOPED UTILIZING THE BINOMIAL DISTRIBUTION TO SIMULATE STORAGE BUFFERS FOR IN-PROCESS IN-VENTORY OF MATERIAL HANDLING SYSTEMS.

 A ONE-TIME SAVINGS OF \$400,000 WAS REALIZED IN THE EQUIPMENT DESIGN FOR LOUISIANA AND MISSISSIPPI ARMY AMMUNITION PLANTS.

 ADDITIONAL SAVINGS WILL LIKELY ACCRUE IN EQUIPMENT DESIGN FOR FACILITIES SUPPORT-ING THE 120MM PROJECTILE.



MONTHLY PRODUCTION THRUPUT VS TOTAL BUFFER SIZE

### **DARCOM MMT IMPLEMENTATION**

### ARMAMENT RESEARCH AND DEVELOPMENT COMMAND

PROJECT NO: 6 7727

TITLE: RECYCLING OF SCRAP GUN TUBES BY

**ROTARY FORGING** 

COST: \$461,000

**GOAL: MATERIAL COST AVOIDANCE** 

### BENEFITS

● A COMPUTER PROGRAM WAS DEVELOPED WHICH GENERATES OPTIMUM END PRODUCT MIXES AND PREFORM DIMENSIONS.

WINE AND THE OTHER DIVICIONS.

● CRITICAL MATERIALS, E.G., ALLOY GUN STEEL, AND ENERGY ARE CONSERVED.

● THIS NEW RECYCLING TECHNIQUE PROVIDES MATERIAL COST SAVINGS OF \$1267 PER 106 MM M68, AND \$2367 PER 155 MM M185. ESTIMATED ANNUAL SAVINGS BASED ON THE FYDP ARE \$716,000; OR \$9,986,000 BASED ON THE MOB RATE.

ORSCARD

PREFORM A PREFORM D

RECYCLING 8" M2A2 TO PRODUCE PREFORMS FOR TWO 105MM M68'S

**EFFORT NO: 6 8043** 

TITLE: IMPROVED MACHINING FOR DOVETAILS

COST: #88,000

**GOAL: MINIMIZE MACHINING ERRORS WHILE** 


REDUCING COSTS

### **BENEFITS**

● A CNC CONTROLLED, CROSS AXIAL MILLING MACHINE SPECIFICATION WAS DEVELOPED TO ALLOW SIMULTANEOUS MACHINING OF BOTH SIDES OF THE DOVETAIL

THIS DESIGN REPLACES NO LESS THAN FIVE INGERSOLL MILLING MACHINES PREVIOUSLY USED

THE TIME STANDARD WAS REDUCED FROM 33.41 HOURS TO APPROXIMATELY 5 HOURS PER PIECE



PROPOSED METHOD OF MACHINING DOVETAILS

#### DRXIB-MT DISTRIBUTION:

### Department of Defense:

DIRSO, Attn: Mr. B. Bartsch (3 cys)

OUSDRE (R&AT), The Pentagon, Attn: Dr. Lloyd L. Lehn (2 cys)

Dir, Marshall Space Flight Center, Attn: AT-01, Mr. Walt Crumpton

- 1

### Department of the Army:

HQDA, OASARDA, The Pentagon, Attn: Mr. William Takakoshi HQDA, ODCSRDA, The Pentagon, Attn: DAMA-PPM-P, LTC S. Marsh

DCSRDA, Attn: DAMA-WSA, MAJ Bell

DCSRDA, Attn: DAMA-WSM-A, Ms. Janet Fox

DCSRDA, Attn: DAMA-CSS-P, MAJ Eby

### HQ DARCOM:

Cdr, DARCOM, Attn: DRCCG

Cdr, DARCOM, Attn: DRCDMD Cdr, DARCOM, Attn: DRCDMR

Cdr, DARCOM, Attn: DRCPP

Cdr, DARCOM, Attn: DRCPP-I (3 cys)

Cdr, DARCOM, Attn: DRCDE

Cdr, DARCOM, Attn: DRCMT (20 cys)

Cdr, DARCOM, West Coast - TILO, Attn: Mr. C. Green

Technical Library, Attn: DRXAM-TL

### AVRADCOM:

Cdr, Attn: DRDAV

Cdr. Attn: DRDAV-EGX, Mr. Dan Haugan

Technical Library, St. Louis, MO

Cdr, AMRTL, Attn: DAVDL-ATL-ATS, Mr. J. Waller

#### AMCCOM:

Cdr, Attn: DRSMC-PMP-P (D), Mr. Donald J. Fischer (7 cys)

Cdr, Benet Wpns Lab, Attn: DRSMC-LCB-S, Dr. F. Heiser

Chemical Systems Lab, Technical Library, Attn: DRSMC-CLY-T

Cdr, Attn: DRSMC-CG Cdr, Attn: DRSMC-IRI-A (R), Ms. Geri Kopp (5 cys)

Cdr, Attn: DRSMC-IRW (R), Mr. Arne Madsen

Cdr, Attn: DRSMC-LEP (R), Mr. R. F. Tumasonis (6 cys)

Cdr, Attn: DRSMC-CPA-F (R), Mr. James Bailey

Technical Library, Attn: DRSMC-LEP-L (R) (14 cys, 12-DTIC, 2-Tech Library)

### Aberdeen Proving Ground:

Cdr, Attn: STEAP-MT-M, Mr. J. L. Sanders

Cdr, Material Testing Dir, Attn: Mr. Michael Drabo

DRXIB-MT

DISTRIBUTION (Cont'd):

AMMRC:

Dir, Attn: DRXMR-PP, Mr. John Gassner Dir, Attn: DRXMR-EO, Dr. Morton Kliman Dir, Attn: DRXMR, DRXMR-M (3 cys ea) Technical Library, Watertown, MA

CECOM:

Cdr, Attn: DRSEL

Cdr, Attn: DRSEL-PC-I-IP, Mr. Leon Field

Cdr, Attn: DRSEL-POD-P-G, Messrs. Feddeler, Esposito, Resuic (1 cy ea)

RD&E Technical Documents Ctr, Ft. Monmouth, NJ

DESCOM:

Cdr, Attn: DRSDS

Cdr, Attn: DRSDS-RM-EIT, Mr. Mike Ahearn

**ERADCOM:** 

Cdr, Attn: DRDEL

Cdr, Attn: DELET-R, Messrs. Key, Reich (1 cy ea)

Cdr, Attn: DRDEL-PO-SP, Mr. Harold Garson

**MERADCOM:** 

Cdr, Attn: DRDME

Cdr, Attn: DRDME-UE, Mr. R. Goehner Technical Library, Ft. Belvoir, VA

MICOM:

Cdr, Attn: DRSMI

Cdr, Attn: DRCMI-RST, Mr. Bob Austin, Mr. Richard Kotler

Magazine Room, Attn: RSIC

NLABS:

Cdr, Attn: DRDNA

Cdr, Attn: DRDNA-EML, Mr. Frank Civilikas

Technical Library, Attn: DRXTM-TRL

TACOM:

Cdr, Attn: DRSTA

Cdr, Attn: DRSTA-EB, Ms. Vivian Buarkhalter

Cdr, Attn: DRSTA-RCKM, Mr. Don Cargo

Technical Library, Warren, MI

TECOM:

Cdr, Attn: DRSTE

Cdr, Attn: DRSTE-AD-M, Mr. John Gehrig

TSARCOM:

Cdr, Attn: DRSTS

Cdr, Attn: DRSTS-PLE, Mr. Don G. Doll

### DRXIB-MT DISTRIBUTION (Cont'd):

#### Arsenals:

- Cdr, Pine Bluff Arsenal (PBA), Attn: SMCPB-CO
- Cdr, Rocky Mountain Arsenal (RMA), Attn: SMCRM-IS
- Cdr, Rock Island Arsenal (RIA), Attn: SMCRI-CO
- Cdr, RIA, Attn: SMCRI-ENM, Mr. J. W. McGarvey
- Cdr, Watervliet Arsenal (WVA), Attn: SMCWV-CO
- Cdr, WVA, Attn: SMCWV-PPI, Mr. Charles Hall
- Cdr, Benet Wpns Lab, Attn: DRSMC-LCB-TL, Tech Library

#### Munitions Production Base Modernization Agency:

Cdr, MPBMA, Attn: SMCPM-PBM-DP, Mr. Joseph Taglairino

#### Army Ammunition Plants:

- Cdr, Crane AAA, Attn: SMCCN
- Cdr, Crane AAA, Attn: SMCCN-QAM-C, Mr. S. R. Caswell
- Cdr, Hawthorne AAP, Attn: SMCHW-CO
- Cdr, Holston AAP, Attn: SMCHO-CO
- Cdr, Indiana AAP, Attn: SMCIN-CO
- Cdr, Iowa AAP, Attn: SMCIO-CO
- Cdr, Kansas AAP, SMCKA-CO
- Cdr, Lake City AAP, Attn: SMCLC-CO
- Cdr, Lone Star AAP, Attn: SMCLS-CO
- Cdr, Longhorn AAP, Attn: SMCLO-CO
- Cdr, Louisiana AAP, Attn: SMCLA-CO
- Cdr, McAlester AAP, Attn: SMCMC-FD
- Cdr, Milan AAP, Attn: SMCMI-CO
- Cdr, Mississippi AAP, Attn: SMCMS
- Cdr, Radford AAP, Attn: SMCRA-CO
- Cdr, Scranton AAP, Attn: SMCSC-CO
- Cdr, Army Weapons Support Center, Crane, IN

#### Depots:

- Cdr, Anniston Army Depot, Attn: SDSAN-MD
- Cdr, Corpus Christi Army Depot, Attn: SDSCC-MPI
- Cdr, Letterkenny Army Depot, Attn: SDSLE-MM
- Cdr, New Cumberland Army Depot, Attn: SDSNC-ME
- Cdr, Red River Army Depot, Attn: SDSRR-MO
- Cdr, Sacramento Army Depot, Attn: SDSSA-MPE
- Cdr, Seneca Army Depot, Attn: SDSSE-OP
- Cdr, Tobyhanna Army Depot, Attn: SDSTO-M
- Cdr, Tooele Army Depot, Attn: SDSTE-MAE

### DRXIB-MT DISTRIBUTION (Cont'd):

#### Army Organizations:

- Cdr, Army Logistics Management Ctr (ALMC), Attn: DRXMD
- Cdr, Army Research Office (ARO), Attn: DRXRO-AO
- Cdr, Army Ballistic Research Labs (BRL), Attn: DRSMC-BL
- Cdr, HDL, Attn: DELHD-PO-P, Mr. Julius Hoke
- Cdr, Ballistic Research Lab, Attn: DRSMC-TSB-S
- Cdr, Foreign Science and Technology Ctr (FSTC). Attn: DRXST-MT1. Mr. James Wamsley
- Dir, Installations and Services Activity (I&SA), Attn: DRCIS-RI
- Dir, Army Management Engineering Training Activity (AMETA), Attn: DRXOM-SE, Dr. Shallman (3 cys)
- Plastics Technical Evaluation Ctr., Attn: Mr. Harry Pebly Dir, DARCOM Intern Training Center, Attn: DRXMC-ITC-E, Mr. Carter
- Metals & Ceramics Info Center, Attn: Mr. Del Spalsbury, Battelle, Columbus Labs, Columbus, OH

#### Navy Organizations:

- Cdr, NAVMAT, Attn: Mr. J. W. McInnis, Code 064
- Cdr, NAVSEA, Attn: T. E. Draschil, Code SEA-05R23
- Cdr, NAVAIR, Attn: Mr. R. A. Retta, Code AIR5162C
- Cdr, NAVELEX, Attn: C. A. Rigdon, Code ELEX-81341
- Cdr, Naval Surface Wpns Ctr/White Oak Lab, Attn: Code E345, Mr. Chas. McFann
- Cdr, Naval Surface Wpns Ctr/Dahlgren Lab, Attn: Code CM-51
- Cdr, Naval Weapons Ctr, Attn: Code 36404
- Cdr, Naval Avionics Ctr, Attn: Mr. Larry Halbig, Code 240
- Cdr, Naval Weapons Ctr, Attn: Mr. C. Johnson, Code 3624
- Dir, NMCIRD, Bldg. 75-2, Naval Base
- Cdr, Naval Ocean Systems Ctr, Attn: Code 9263, Wil Watson
- Cdr, Long Beach Naval Shipyard, Attn: Code 202.4, Mrs. Zeoli

### Air Force:

- Cdr, HQ, USAF/RDCM, The Pentagon, Attn: MAJ E. Ross
- Cdr, AFSC/DLF, Andrew AFB
- Cdr, AFSC/PPD, Andrew AFB
- Cdr, AFSC, Attn: Mr. Joe Anderson, Andrew AFB
- Cdr, AFML/LT, WPAFB
- Cdr, AFML/LTE, /LTM, /LTN, WPAFB (1 cy ea)
- Cdr, AFWAL/MLSS, WPAFB
- Cdr, San Antonio Air Logistics Ctr, Kelly AFB, Attn: B. Boisvert, MMEI
- Cdr, Hanscom AFB, Attn: AFGL-SULL, R. Bergmann

# DATE